


electron: polarization cluster P5; representative configuration and pairwise projections of its 7D contour




coherent mixing angles: minimum D_W configuration (gradient_local_minimum)

dw_mixing_angles_local_minimum D_W=0.00315699
region: selected_local_minimum
outgoing-state purity: 1
kinematic point: gradient_local_minimum
lepton mixing angle: $\theta_e=2.3661742$ rad
incoming lepton: $-0.714128|+> +0.700015|->$
proton mixing angle: $\theta_p=1.4357728$ rad
incoming proton: $0.134614|+> +0.990898|->$


$s=1.2527$, $\sqrt{s}=1.11924$, $|\vec{P}|=0.166566$, $|\vec{P}'|=0.00538004$
 $\theta_{\text{out}}=1.43253$, $\phi_{p'}=3.95082$, $\phi_\gamma=0.668068$
 $E_\gamma=0.0931659$, $\theta_{\ell'}=1.72565$, $\phi_{\ell'}=3.80104$
 $Q^2=0.0248104$, $x_B=0.123714$, $t=-0.0273112$, $W^2=1.05558$, $y=0.537868$

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 0.1666$ $p_x= 0.0000$ $p_y= 0.0000$ $p_z= -0.1666$
 P $E= 0.9527$ $p_x= 0.0000$ $p_y= 0.0000$ $p_z= 0.1666$
 ℓ' $E= 0.0881$ $p_x= -0.0688$ $p_y= -0.0533$ $p_z= -0.0136$
 P' $E= 0.9380$ $p_x= -0.0037$ $p_y= -0.0039$ $p_z= 0.0007$
 q_γ $E= 0.0932$ $p_x= 0.0724$ $p_y= 0.0572$ $p_z= 0.0128$


3D momenta



Transverse plane



Leading final-state amplitudes (N=6, retained=99.6%)



electron: polarization cluster P5, representative local minimum; pairwise projections of the 7D $D_W = (D_W)_{\text{local}} + 0.05$ contour

