




L massless lepton + Tx proton: $C_{\ell_0 p}$ two-angle scans at characteristic kinematics




L massless lepton + Tx proton: $C_{\ell_0\gamma}$ two-angle scans at characteristic kinematics




L massless lepton + Tx proton: $C_{p\gamma}$ two-angle scans at characteristic kinematics




L massless lepton + Tx proton: $C_{\ell_0|p\gamma}$ two-angle scans at characteristic kinematics




L massless lepton + Tx proton: $C_{p|\ell_0\gamma}$ two-angle scans at characteristic kinematics




L massless lepton + Tx proton: $C_{\gamma|\ell_0 p}$ two-angle scans at characteristic kinematics




L massless lepton + Tx proton: M_{ℓ_0} two-angle scans at characteristic kinematics



L massless lepton + Tx proton: M_p two-angle scans at characteristic kinematics




L massless lepton + Tx proton: M_γ two-angle scans at characteristic kinematics




L massless lepton + Tx proton: F_3 two-angle scans at characteristic kinematics


$s = 21.5 \text{ GeV}^2$, $\theta_{\text{in}} = 1.57 \text{ rad}$
 $E_\gamma = 0.25 \text{ GeV}$, $\max F_3 = 0.000$




$s = 21.5 \text{ GeV}^2$, $\theta_{\text{in}} = 1.57 \text{ rad}$
 $E_\gamma = 1 \text{ GeV}$, $\max F_3 = 0.000$



$s = 21.5 \text{ GeV}^2$, $\theta_{\text{in}} = 1.57 \text{ rad}$
 $E_\gamma = 1.8 \text{ GeV}$, $\max F_3 = 0.000$



L massless lepton + Tx proton: $P_{\text{GHZ}+}$ two-angle scans at characteristic kinematics



L massless lepton + Tx proton: P_W two-angle scans at characteristic kinematics

