




# L massless lepton + Ty proton: $C_{\ell_0 p}$ two-angle scans at characteristic kinematics




# L massless lepton + Ty proton: $C_{\ell_0\gamma}$ two-angle scans at characteristic kinematics




# L massless lepton + Ty proton: $C_{p\gamma}$ two-angle scans at characteristic kinematics




# L massless lepton + Ty proton: $C_{\ell_0|p\gamma}$ two-angle scans at characteristic kinematics




# L massless lepton + Ty proton: $C_{p|\ell_0\gamma}$ two-angle scans at characteristic kinematics




# L massless lepton + Ty proton: $C_{\gamma|\ell_0 p}$ two-angle scans at characteristic kinematics



# L massless lepton + Ty proton: $M_{\ell_0}$ two-angle scans at characteristic kinematics




# L massless lepton + Ty proton: $M_p$ two-angle scans at characteristic kinematics






# L massless lepton + Ty proton: $M_Y$ two-angle scans at characteristic kinematics




# L massless lepton + Ty proton: $F_3$ two-angle scans at characteristic kinematics


$s = 21.5 \text{ GeV}^2$ ,  $\theta_{\text{in}} = 1.57 \text{ rad}$   
 $E_\gamma = 0.25 \text{ GeV}$ ,  $\max F_3 = 0.000$




$s = 21.5 \text{ GeV}^2$ ,  $\theta_{\text{in}} = 1.57 \text{ rad}$   
 $E_\gamma = 1 \text{ GeV}$ ,  $\max F_3 = 0.000$



$s = 21.5 \text{ GeV}^2$ ,  $\theta_{\text{in}} = 1.57 \text{ rad}$   
 $E_\gamma = 1.8 \text{ GeV}$ ,  $\max F_3 = 0.000$



# L massless lepton + Ty proton: $P_{\text{GHZ}+}$ two-angle scans at characteristic kinematics



# L massless lepton + Ty proton: $P_W$ two-angle scans at characteristic kinematics

