



high_Egamma L electron + L proton: max C_{ey} regions



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_ll_region_0 $C_{\{e\gamma\}}=0.051613$
 region: high_Egamma_LL_region_0 final-pair delta_xy=3.04774 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.190824$
 $\theta_{in}=1.57079$, $\phi_l=2.74889$, $\phi_p=5.89049$
 $E_\gamma=1.8$, $\phi_\gamma=2.74889$
 $Q^2=16.7024$, $x_B=0.839929$, $t=-3.18681$, $W^2=4.06292$, $y=0.96363$
 $\theta(l', \gamma)=174.623$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.0551$ $p_y= 0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.0551$ $p_y= -0.8512$ $p_z= 0.0000$
 l' $E= 1.8813$ $p_x= 1.6630$ $p_y= -0.8797$ $p_z= 0.0000$
 P' $E= 0.9572$ $p_x= 0.0000$ $p_y= 0.1908$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.6630$ $p_y= 0.6888$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.2%)



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_ll_region_1 $C_{e\gamma}=0.051613$
 region: high_Egamma_LL_region_1 final-pair delta_xy=3.04774 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.190824$
 $\theta_{in}=1.57079$, $\phi_l=0.392699$, $\phi_p=3.53429$
 $E_\gamma=1.8$, $\phi_\gamma=0.392699$
 $Q^2=16.7024$, $x_B=0.839929$, $t=-3.18681$, $W^2=4.06292$, $y=0.96363$
 $\theta(l', \gamma)=174.623$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= 0.0000$
 l' $E= 1.8813$ $p_x= -1.6630$ $p_y= -0.8797$ $p_z= 0.0000$
 P' $E= 0.9572$ $p_x= 0.0000$ $p_y= 0.1908$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.6630$ $p_y= 0.6888$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.2%)



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_ll_region_2 $C_{e\gamma}=0.0108818$
 region: high_Egamma_LL_region_2 final-pair delta_xy=2.5801 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.958776$
 $\theta_{in}=1.57079$, $\phi_l=5.69414$, $\phi_p=2.55254$
 $E_\gamma=1.8$, $\phi_\gamma=5.69414$
 $Q^2=12.299$, $x_B=0.645776$, $t=-2.34664$, $W^2=7.62614$, $y=0.922917$
 $\theta(l', \gamma)=147.829$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

Particle	E	p_x	p_y	p_z
l	2.2244	1.8495	-1.2358	-0.0000
P	2.4141	-1.8495	1.2358	0.0000
l'	1.4972	-1.4966	0.0413	0.0000
P'	1.3413	0.0000	0.9588	0.0000
q_γ	1.8000	1.4966	-1.0000	0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=99.9%)



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_ll_region_3 $C_{e\gamma}=0.0108818$
 region: high_Egamma_LL_region_3 final-pair delta_xy=2.5801 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.958776$
 $\theta_{in}=1.57079$, $\phi_l=3.73064$, $\phi_p=0.589049$
 $E_\gamma=1.8$, $\phi_\gamma=3.73064$
 $Q^2=12.299$, $x_B=0.645776$, $t=-2.34664$, $W^2=7.62614$, $y=0.922917$
 $\theta(l', \gamma)=147.829$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 l' $E= 1.4972$ $p_x= 1.4966$ $p_y= 0.0413$ $p_z= 0.0000$
 P' $E= 1.3413$ $p_x= 0.0000$ $p_y= 0.9588$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.4966$ $p_y= -1.0000$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton L

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=99.9%)

