



# high\_Egamma L electron + L proton: max $C_{ep}$ regions



# L electron + L proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high egamma\_ll\_region\_0 C\_{ep}=0.965634  
 region: high\_Egamma\_LL\_region\_0 final-pair delta\_xy=2.49408 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e\rangle \otimes |L_p\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.118464$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0.883573$ ,  $\phi_p=4.02517$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=0.883573$   
 $Q^2=16.8372$ ,  $x_B=0.845617$ ,  $t=-3.21254$ ,  $W^2=3.9538$ ,  $y=0.964877$   
 $\theta(l', \gamma)=177.725$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.4112$   $p_y= 1.7195$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.4112$   $p_y= -1.7195$   $p_z= 0.0000$   
 $l'$   $E= 1.8931$   $p_x= -1.1419$   $p_y= -1.5099$   $p_z= 0.0000$   
 $P'$   $E= 0.9455$   $p_x= 0.0000$   $p_y= 0.1185$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= 1.1419$   $p_y= 1.3914$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=97.6%)



# L electron + L proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ll\_region\_1 C\_{ep}=0.965634  
 region: high Egamma\_LL\_region\_1 final-pair delta\_xy=2.49408 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.118464$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.25802$ ,  $\phi_p=5.39961$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=2.25802$   
 $Q^2=16.8372$ ,  $x_B=0.845617$ ,  $t=-3.21254$ ,  $W^2=3.9538$ ,  $y=0.964877$   
 $\theta(l', \gamma)=177.725$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$l$   $E= 2.2244$   $p_x= -1.4112$   $p_y= 1.7195$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.4112$   $p_y= -1.7195$   $p_z= 0.0000$   
 $l'$   $E= 1.8931$   $p_x= 1.1419$   $p_y= -1.5099$   $p_z= 0.0000$   
 $P'$   $E= 0.9455$   $p_x= 0.0000$   $p_y= 0.1185$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.1419$   $p_y= 1.3914$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=97.6%)



# L electron + L proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ll\_region\_2 C\_{ep}=0.156711  
 region: high\_Egamma\_LL\_region\_2 final-pair delta\_xy=1.70891 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.425418$   
 $\theta_{in}=1.57079$ ,  $\phi_l=3.23977$ ,  $\phi_p=0.0981748$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=3.23977$   
 $Q^2=15.8684$ ,  $x_B=0.804425$ ,  $t=-3.02767$ ,  $W^2=4.73783$ ,  $y=0.955919$   
 $\theta(l', \gamma)=166.462$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$l$   $E= 2.2244$   $p_x= -2.2137$   $p_y= -0.2180$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 2.2137$   $p_y= 0.2180$   $p_z= 0.0000$   
 $l'$   $E= 1.8086$   $p_x= 1.7913$   $p_y= -0.2490$   $p_z= 0.0000$   
 $P'$   $E= 1.0300$   $p_x= 0.0000$   $p_y= 0.4254$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.7913$   $p_y= -0.1764$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=98.6%)



# L electron + L proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ll\_region\_3  $C_{ep}=0.156711$   
 region: high\_Egamma\_LL\_region\_3 final-pair delta\_xy=1.70891 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.425418$   
 $\theta_{in}=1.57079$ ,  $\phi_l=6.18501$ ,  $\phi_p=3.04342$   
 $E_V=1.8$ ,  $\phi_V=6.18501$   
 $Q^2=15.8684$ ,  $x_B=0.804425$ ,  $t=-3.02767$ ,  $W^2=4.73783$ ,  $y=0.955919$   
 $\theta(l', \gamma)=166.462$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$l$   $E= 2.2244$   $p_x= 2.2137$   $p_y= -0.2180$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2137$   $p_y= 0.2180$   $p_z= 0.0000$   
 $l'$   $E= 1.8086$   $p_x= -1.7913$   $p_y= -0.2490$   $p_z= 0.0000$   
 $P'$   $E= 1.0300$   $p_x= 0.0000$   $p_y= 0.4254$   $p_z= 0.0000$   
 $q_Y$   $E= 1.8000$   $p_x= 1.7913$   $p_y= -0.1764$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=98.6%)

