



high_Egamma L electron + L proton: max $C_{p\gamma}$ regions



L electron + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ll_region_0 C_{p\gamma}=0.876173
 region: high_Egamma LL_region_0 final-pair delta_xy=3.04342 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20096$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=0.161847$, $x_B=0.00971461$, $t=-8.37957e-05$, $W^2=17.3782$, $y=0.807336$
 $\theta(l', \gamma)=28.9269$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 0.4460$ $p_x= -0.1764$ $p_y= -0.4096$ $p_z= 0.0000$
 P' $E= 2.3925$ $p_x= 0.0000$ $p_y= 2.2010$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ll_region_1 $C_{\{p\gamma\}}=0.157815$
 region: high_Egamma_LL_region_1 final-pair delta_xy=2.35619 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=5.69414$, $\phi_p=2.55254$
 $E_\gamma=1.8$, $\phi_\gamma=3.92699$
 $Q^2=1.0027$, $x_B=0.102008$, $t=-2.70111$, $W^2=9.70675$, $y=0.476333$
 $\theta(l', \gamma)=135.87$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 l' $E= 1.2729$ $p_x= 1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=98.4%)



L electron + L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_ll_region_2 C_{p\gamma}=0.157342
 region: high_Egamma_LL_region_2 final-pair delta_xy=2.25802 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.10115$
 $\theta_{in}=1.57079$, $\phi_l=3.63247$, $\phi_p=0.490874$
 $E_\gamma=1.8$, $\phi_\gamma=5.59596$
 $Q^2=0.81907$, $x_B=0.0958953$, $t=-2.91502$, $W^2=8.60206$, $y=0.413902$
 $\theta(l', \gamma)=142.303$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.9618$ $p_y= -1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9618$ $p_y= 1.0486$ $p_z= 0.0000$
 l' $E= 1.3920$ $p_x= -1.3914$ $p_y= 0.0408$ $p_z= 0.0000$
 P' $E= 1.4465$ $p_x= 0.0000$ $p_y= 1.1011$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.3914$ $p_y= -1.1419$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.6%)

