



high_Egamma L electron + L proton: max P_W regions



L electron + L proton characteristic max P_W configuration

3D momenta



w_purity_high_egamma_ll_region_0 P_W=0.329184

region: high_Egamma_LL_region_0

outgoing-state purity: 1

kinematic point: high_s_high_theta_in_high_Egamma

incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.300185$

$\theta_{in}=1.57079$, $\phi_l=3.04342$, $\phi_p=6.18501$

$E_Y=1.8$, $\phi_Y=3.04342$

$Q^2=16.3854$, $x_B=0.826503$, $t=-3.12633$, $W^2=4.31943$, $y=0.960699$

$\theta(l', \gamma)=170.726$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -2.2137$ $p_y= 0.2180$ $p_z= -0.0000$


P $E= 2.4141$ $p_x= 2.2137$ $p_y= -0.2180$ $p_z= 0.0000$

l' $E= 1.8537$ $p_x= 1.7913$ $p_y= -0.4766$ $p_z= 0.0000$


P' $E= 0.9849$ $p_x= 0.0000$ $p_y= 0.3002$ $p_z= 0.0000$

q_Y $E= 1.8000$ $p_x= -1.7913$ $p_y= 0.1764$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=97.9%)



L electron + L proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ll_region_1 P_W=0.305562
 region: high_Egamma_LL_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.356666$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_P=3.14159$
 $E_Y=1.8$, $\phi_Y=0$
 $Q^2=16.1715$, $x_B=0.817396$, $t=-3.08551$, $W^2=4.49252$, $y=0.958721$
 $\theta(l', \gamma)=168.792$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.8350$ $p_x= -1.8000$ $p_y= -0.3567$ $p_z= 0.0000$
 P' $E= 1.0035$ $p_x= 0.0000$ $p_y= 0.3567$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 1.8000$ $p_y= 0.0000$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton L


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.6%)



L electron + L proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ll_region_2 P_W=0.155095
 region: high_Egamma_LL_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.41348$
 $\theta_{in}=1.57079$, $\phi_l=4.02517$, $\phi_P=0.883573$
 $E_\gamma=1.8$, $\phi_\gamma=4.02517$
 $Q^2=8.22807$, $x_B=0.450395$, $t=-1.56991$, $W^2=10.9203$, $y=0.885277$
 $\theta(l', \gamma)=128.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 1.1421$ $p_x= 1.1419$ $p_y= -0.0221$ $p_z= 0.0000$
 P' $E= 1.6964$ $p_x= 0.0000$ $p_y= 1.4135$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.1419$ $p_y= -1.3914$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton L


$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + L proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ll_region_3 P_W=0.136046
 region: high_Egamma_LL_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.57742$
 $\theta_{in}=1.57079$, $\phi_l=5.30144$, $\phi_p=2.15984$
 $E_\gamma=1.8$, $\phi_\gamma=5.30144$
 $Q^2=6.63637$, $x_B=0.369408$, $t=-1.26622$, $W^2=12.2084$, $y=0.87056$
 $\theta(l', \gamma)=119.132$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= 0.0000$
 l' $E= 1.0033$ $p_x= -1.0000$ $p_y= -0.0808$ $p_z= 0.0000$
 P' $E= 1.8352$ $p_x= 0.0000$ $p_y= 1.5774$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.0000$ $p_y= -1.4966$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton L

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

