



low_Egamma L electron + L proton: max C_{ey} regions



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ll_region_0 $C_{e\gamma}=0.457265$
 region: low_Egamma_LL_region_0 final-pair delta_xy=2.61586 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.98279$
 $\theta_{in}=1.57079$, $\phi_l=2.15984$, $\phi_P=5.30144$
 $E_\gamma=0.25$, $\phi_\gamma=2.15984$
 $Q^2=18.2121$, $x_B=0.985262$, $t=-16.1653$, $W^2=1.15226$, $y=0.895742$
 $\theta(l', \gamma)=149.878$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= 0.0000$
 l' $E= 2.1951$ $p_x= 0.1389$ $p_y= -2.1907$ $p_z= 0.0000$
 P' $E= 2.1935$ $p_x= 0.0000$ $p_y= 1.9828$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1389$ $p_y= 0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.8%)



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ll_region_1 $C_{\{e\gamma\}}=0.457265$
 region: low_Egamma_LL_region_1 final-pair delta_xy=2.61586 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.98279$
 $\theta_{in}=1.57079$, $\phi_l=0.981748$, $\phi_p=4.12334$
 $E_\gamma=0.25$, $\phi_\gamma=0.981748$
 $Q^2=18.2121$, $x_B=0.985262$, $t=-16.1653$, $W^2=1.15226$, $y=0.895742$
 $\theta(l', \gamma)=149.878$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.2358$ $p_y= 1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.2358$ $p_y= -1.8495$ $p_z= 0.0000$
 l' $E= 2.1951$ $p_x= -0.1389$ $p_y= -2.1907$ $p_z= 0.0000$
 P' $E= 2.1935$ $p_x= 0.0000$ $p_y= 1.9828$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1389$ $p_y= 0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.8%)



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ll_region_2 $C_{e\gamma}=0.183947$
 region: low_Egamma_LL_region_2 final-pair delta_xy=1.69006 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.08621$
 $\theta_{in}=1.57079$, $\phi_\ell=3.14159$, $\phi_p=0$
 $E_\gamma=0.25$, $\phi_\gamma=3.14159$
 $Q^2=10.4598$, $x_B=0.901436$, $t=-9.28425$, $W^2=2.02353$, $y=0.562294$
 $\theta(\ell', \gamma)=96.8334$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 2.1011$ $p_x= 0.2500$ $p_y= -2.0862$ $p_z= 0.0000$
 P' $E= 2.2874$ $p_x= 0.0000$ $p_y= 2.0862$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2500$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=97.8%)



L electron + L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_ll_region_3 $C_{e\gamma}=0.183947$
 region: low_Egamma_LL_region_3 final-pair delta_xy=1.69006 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.08621$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=0$
 $Q^2=10.4598$, $x_B=0.901436$, $t=-9.28425$, $W^2=2.02353$, $y=0.562294$
 $\theta(l', \gamma)=96.8334$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.1011$ $p_x= -0.2500$ $p_y= -2.0862$ $p_z= 0.0000$
 P' $E= 2.2874$ $p_x= 0.0000$ $p_y= 2.0862$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2500$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton L

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.8%)

