



Low_Egamma L electron + Tx proton: max C_{ep} regions



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_ltx_region_0 C_{ep} =0.112786
 region: low_Egamma_LTx_region_0 final-pair delta_xy=3.07828 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{p}|=2.22442$, $|\vec{p}'|=1.98279$
 $\theta_{in}=1.57079$, $\phi_l=0.981748$, $\phi_p=4.12334$
 $E_\gamma=0.25$, $\phi_\gamma=0.981748$
 $Q^2=18.2121$, $x_B=0.985262$, $t=-16.1653$, $W^2=1.15226$, $y=0.895742$
 $\theta(l', \gamma)=149.878$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.2358$ $p_y= 1.8495$ $p_z= -0.0000$
 p $E= 2.4141$ $p_x= -1.2358$ $p_y= -1.8495$ $p_z= 0.0000$
 l' $E= 2.1951$ $p_x= -0.1389$ $p_y= -2.1907$ $p_z= 0.0000$
 p' $E= 2.1935$ $p_x= 0.0000$ $p_y= 1.9828$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1389$ $p_y= 0.2079$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.4%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_ltx_region_1 $C_{ep}=0.0942027$
 region: low_Egamma_LTx_region_1 final-pair delta_xy=3.09819 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.97187$
 $\theta_{in}=1.57079$, $\phi_l=1.9635$, $\phi_p=5.10509$
 $E_\gamma=0.25$, $\phi_\gamma=1.9635$
 $Q^2=19.0263$, $x_B=0.990581$, $t=-16.8879$, $W^2=1.06076$, $y=0.930761$
 $\theta(l', \gamma)=159.987$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l	$E=$	2.2244	$p_x=$	-0.8512	$p_y=$	2.0551	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	0.8512	$p_y=$	-2.0551	$p_z=$	0.0000
l'	$E=$	2.2049	$p_x=$	0.0957	$p_y=$	-2.2028	$p_z=$	0.0000
P'	$E=$	2.1836	$p_x=$	0.0000	$p_y=$	1.9719	$p_z=$	0.0000
q_γ	$E=$	0.2500	$p_x=$	-0.0957	$p_y=$	0.2310	$p_z=$	0.0000

Transverse plane




$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=99.5%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_ltx_region_2 C_{ep}=0.0772947
region: low_Egamma_LTx_region_2 final-pair delta_xy=3.0259 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_\ell=2.94524$, $\phi_p=6.08684$
 $E_V=0.25$, $\phi_V=2.94524$
 $Q^2=12.3506$, $x_B=0.92989$, $t=-10.9625$, $W^2=1.81103$, $y=0.643621$
 $\theta(\ell', \gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 ℓ' $E= 2.1240$ $p_x= 0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= -0.2452$ $p_y= 0.0488$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.6%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_ltx_region_3 C_{ep} =0.0703731
region: low_Egamma_LTx_region_3 final-pair delta_xy=3.02233 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.08621$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_V=0.25$, $\phi_V=0$
 $Q^2=10.4598$, $x_B=0.901436$, $t=-9.28425$, $W^2=2.02353$, $y=0.562294$
 $\theta(l', \gamma)=96.8334$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.1011$ $p_x= -0.2500$ $p_y= -2.0862$ $p_z= 0.0000$
 P' $E= 2.2874$ $p_x= 0.0000$ $p_y= 2.0862$ $p_z= 0.0000$
 q_V $E= 0.2500$ $p_x= 0.2500$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_V=+1$
electron L, proton Tx

$h_e=-1, h_p=+1, h_V=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.5%)

