



mid_Egamma L electron + Tx proton: max C_{ep} regions



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_ltx_region_0 C_{ep} =0.02799
 region: mid_Egamma_LTx_region_0 final-pair delta_xy=2.83409 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{p}|=2.22442$, $|\vec{p}'|=1.22462$
 $\theta_{in}=1.57079$, $\phi_l=0.883573$, $\phi_p=4.02517$
 $E_\gamma=1$, $\phi_\gamma=0.883573$
 $Q^2=17.9848$, $x_B=0.937848$, $t=-9.89963$, $W^2=2.07171$, $y=0.929282$
 $\theta(l', \gamma)=158.243$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= -0.0000$
 p $E= 2.4141$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= 0.0000$
 l' $E= 2.0959$ $p_x= -0.6344$ $p_y= -1.9976$ $p_z= 0.0000$
 p' $E= 1.5426$ $p_x= 0.0000$ $p_y= 1.2246$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.6344$ $p_y= 0.7730$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_ltx_region_1 C_{ep}=0.0244746
region: mid_Egamma_LTx_region_1 final-pair delta_xy=3.00568 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.16564$
 $\theta_{in}=1.57079$, $\phi_l=1.86532$, $\phi_P=5.00691$
 $E_\gamma=1$, $\phi_\gamma=1.86532$
 $Q^2=18.9422$, $x_B=0.961354$, $t=-10.4266$, $W^2=1.64131$, $y=0.954819$
 $\theta(l', \gamma)=170.912$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l	$E=$	2.2244	$p_x=$	-0.6457	$p_y=$	2.1286	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	0.6457	$p_y=$	-2.1286	$p_z=$	0.0000
l'	$E=$	2.1423	$p_x=$	0.2903	$p_y=$	-2.1226	$p_z=$	0.0000
P'	$E=$	1.4962	$p_x=$	0.0000	$p_y=$	1.1656	$p_z=$	0.0000
q_γ	$E=$	1.0000	$p_x=$	-0.2903	$p_y=$	0.9569	$p_z=$	0.0000

Transverse plane




$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=99.8%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_ltx_region_2 C_{ep} =0.0224343
 region: mid_Egamma_LTx_region_2 final-pair delta_xy=2.62807 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.40644$
 $\theta_{in}=1.57079$, $\phi_l=2.84707$, $\phi_p=5.98866$
 $E_\gamma=1$, $\phi_\gamma=2.84707$
 $Q^2=14.9314$, $x_B=0.853421$, $t=-8.21889$, $W^2=3.44439$, $y=0.847835$
 $\theta(\ell', \gamma)=136.298$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= 0.0000$
 ℓ' $E= 1.9480$ $p_x= 0.9569$ $p_y= -1.6967$ $p_z= 0.0000$
 P' $E= 1.6905$ $p_x= 0.0000$ $p_y= 1.4064$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.9569$ $p_y= 0.2903$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_ltx_region_3 C_{ep}=0.0198873
region: mid_Egamma_LTx_region_3 final-pair delta_xy=2.55317 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{p}|=2.22442$, $|\vec{p}'|=1.58942$
 $\theta_{in}=1.57079$, $\phi_l=6.18501$, $\phi_p=3.04342$
 $E_\gamma=1$, $\phi_\gamma=6.18501$
 $Q^2=11.7323$, $x_B=0.745618$, $t=-6.45798$, $W^2=4.88255$, $y=0.762503$
 $\theta(l',\gamma)=118.089$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2137$ $p_y= -0.2180$ $p_z= -0.0000$
 p $E= 2.4141$ $p_x= -2.2137$ $p_y= 0.2180$ $p_z= 0.0000$
 l' $E= 1.7930$ $p_x= -0.9952$ $p_y= -1.4914$ $p_z= 0.0000$
 p' $E= 1.8456$ $p_x= 0.0000$ $p_y= 1.5894$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9952$ $p_y= -0.0980$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
electron L, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

