



mid_Egamma L electron + Tx proton: max P_W regions



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_mid_egamma_ltx_region_0 P_W=0.333262
region: mid_Egamma_LTx_region_0
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.15253$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_Y=1$, $\phi_Y=1.5708$
 $Q^2=19.1525$, $x_B=0.96635$, $t=-10.5424$, $W^2=1.54677$, $y=0.960429$
 $\theta(\ell', \gamma)=180$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.1525$ $p_x= -0.0000$ $p_y= -2.1525$ $p_z= 0.0000$
 P' $E= 1.4860$ $p_x= 0.0000$ $p_y= 1.1525$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.0000$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_Y=+1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=100.0%)



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_mid_egamma_ltx_region_1 P_W=0.327595
 region: mid_Egamma_LTx_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.30122$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_\gamma=1$, $\phi_\gamma=2.55254$
 $Q^2=16.7159$, $x_B=0.904629$, $t=-9.20119$, $W^2=2.64213$, $y=0.895436$
 $\theta(l', \gamma)=147.873$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.0345$ $p_x= 0.8315$ $p_y= -1.8568$ $p_z= 0.0000$
 P' $E= 1.6041$ $p_x= 0.0000$ $p_y= 1.3012$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.8315$ $p_y= 0.5556$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=1, retained=98.3%)



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_mid egamma_ltx_region_2 P_W=0.313296
 region: mid_Egamma_LTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.30122$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=1$, $\phi_\gamma=0.589049$
 $Q^2=16.7159$, $x_B=0.904629$, $t=-9.20119$, $W^2=2.64213$, $y=0.895436$
 $\theta(l', \gamma)=147.873$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.0345$ $p_x= -0.8315$ $p_y= -1.8568$ $p_z= 0.0000$
 P' $E= 1.6041$ $p_x= 0.0000$ $p_y= 1.3012$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.8315$ $p_y= 0.5556$ $p_z= 0.0000$


Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L electron + Tx proton characteristic max P_W configuration

3D momenta




w_purity_mid_egamma_ltx_region_3 P_W=0.305247
 region: mid_Egamma_LTx_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_e\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.11756$
 $\theta_{in}=1.57079$, $\phi_l=5.20326$, $\phi_P=2.06167$
 $E_\gamma=1$, $\phi_\gamma=5.20326$
 $Q^2=2.02415$, $x_B=0.194794$, $t=-1.11418$, $W^2=9.24691$, $y=0.503548$
 $\theta(l', \gamma)=49.0069$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.0486$ $p_y= -1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.0486$ $p_y= 1.9618$ $p_z= 0.0000$
 l' $E= 1.3225$ $p_x= -0.4714$ $p_y= -1.2356$ $p_z= 0.0000$
 P' $E= 2.3160$ $p_x= 0.0000$ $p_y= 2.1176$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.4714$ $p_y= -0.8819$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

