



low_Egamma L electron + Ty proton: max C_{ep} regions



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_lty_region_0 C_{ep}=0.102296
region: low_Egamma_LTy_region_0 final-pair delta_xy=3.14159 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.5708$, $\phi_p=4.71239$
 $E_Y=0.25$, $\phi_Y=1.5708$
 $Q^2=19.6902$, $x_B=0.99463$, $t=-17.4772$, $W^2=0.986143$, $y=0.959318$
 $\theta(\ell', \gamma)=180$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$

Transverse plane




$h_e=-1$, $h_p=-1$, $h_Y=+1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=99.5%)



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_lty_region_1 C_{ep}=0.0807055
region: low_Egamma_LTy_region_1 final-pair delta_xy=3.04543 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.01605$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_p=5.69414$
 $E_Y=0.25$, $\phi_Y=2.55254$
 $Q^2=15.7266$, $x_B=0.966105$, $t=-13.9591$, $W^2=1.4316$, $y=0.788834$
 $\theta(l',\gamma)=129.26$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.1649$ $p_x= 0.2079$ $p_y= -2.1549$ $p_z= 0.0000$
 P' $E= 2.2236$ $p_x= 0.0000$ $p_y= 2.0160$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= -0.2079$ $p_y= 0.1389$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=-1, h_Y=+1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=98.9%)



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_lty_region_2 C_{ep}=0.0807055
region: low_Egamma_LTy_region_2 final-pair delta_xy=3.04543 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_e\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.01605$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=0.25$, $\phi_\gamma=0.589049$
 $Q^2=15.7266$, $x_B=0.966105$, $t=-13.9591$, $W^2=1.4316$, $y=0.788834$
 $\theta(l',\gamma)=129.26$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.1649$ $p_x= -0.2079$ $p_y= -2.1549$ $p_z= 0.0000$
 P' $E= 2.2236$ $p_x= 0.0000$ $p_y= 2.0160$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2079$ $p_y= 0.1389$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=-1, h_\gamma=+1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=98.9%)



L electron + Ty proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_lty_region_3 C_{ep}=0.036644
region: low_Egamma_LTy_region_3 final-pair delta_xy=3.02894 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.13719$
 $\theta_{in}=1.57079$, $\phi_l=3.53429$, $\phi_P=0.392699$
 $E_\gamma=0.25$, $\phi_\gamma=3.53429$
 $Q^2=6.61398$, $x_B=0.807578$, $t=-5.87064$, $W^2=2.45576$, $y=0.396874$
 $\theta(l', \gamma)=73.9548$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2244	$p_x=$	-2.0551	$p_y=$	-0.8512	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	2.0551	$p_y=$	0.8512	$p_z=$	0.0000
l'	$E=$	2.0545	$p_x=$	0.2310	$p_y=$	-2.0415	$p_z=$	0.0000
P'	$E=$	2.3340	$p_x=$	0.0000	$p_y=$	2.1372	$p_z=$	0.0000
q_γ	$E=$	0.2500	$p_x=$	-0.2310	$p_y=$	-0.0957	$p_z=$	0.0000

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
electron L, proton Ty

$h_e=-1, h_p=+1, h_\gamma=+1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=99.7%)

