



mid\_Egamma L electron + Ty proton: max  $C_{ep}$  regions



L electron + Ty proton characteristic max  $C_{ep}$  configuration

3D momenta




c\_ep\_mid\_egamma\_lty\_region\_0 C\_{ep}=0.0256893  
region: mid\_Egamma\_LTy\_region\_0 final-pair delta\_xy=3.14159 rad  
outgoing-state purity: 1  
kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
incoming state:  $|L_e\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.15253$   
 $\theta_{in}=1.57079$ ,  $\phi_l=1.5708$ ,  $\phi_p=4.71239$   
 $E_\gamma=1$ ,  $\phi_\gamma=1.5708$   
 $Q^2=19.1525$ ,  $x_B=0.96635$ ,  $t=-10.5424$ ,  $W^2=1.54677$ ,  $y=0.960429$   
 $\theta(l',\gamma)=180$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= 0.0000$   
 $l'$   $E= 2.1525$   $p_x= -0.0000$   $p_y= -2.1525$   $p_z= 0.0000$   
 $P'$   $E= 1.4860$   $p_x= 0.0000$   $p_y= 1.1525$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.0000$   $p_y= 1.0000$   $p_z= 0.0000$

Transverse plane




$h_e=-1$ ,  $h_p=-1$ ,  $h_\gamma=+1$   
electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=100.0%)



# L electron + Ty proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_lty\_region\_1 C\_{ep}=0.0217801  
 region: mid\_Egamma\_LTy\_region\_1 final-pair delta\_xy=2.72057 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.30122$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.55254$ ,  $\phi_P=5.69414$   
 $E_\gamma=1$ ,  $\phi_\gamma=2.55254$   
 $Q^2=16.7159$ ,  $x_B=0.904629$ ,  $t=-9.20119$ ,  $W^2=2.64213$ ,  $y=0.895436$   
 $\theta(l', \gamma)=147.873$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -1.8495$   $p_y= 1.2358$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.8495$   $p_y= -1.2358$   $p_z= 0.0000$   
 $l'$   $E= 2.0345$   $p_x= 0.8315$   $p_y= -1.8568$   $p_z= 0.0000$   
 $P'$   $E= 1.6041$   $p_x= 0.0000$   $p_y= 1.3012$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.8315$   $p_y= 0.5556$   $p_z= 0.0000$

Transverse plane




$h_e=-1$ ,  $h_p=-1$ ,  $h_\gamma=+1$   
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=99.1%)



# L electron + Ty proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_lty\_region\_2  $C_{ep}=0.0217801$   
 region: mid\_Egamma\_LTy\_region\_2 final-pair delta\_xy=2.72057 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_e\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.30122$   
 $\theta_{in}=1.57079$ ,  $\phi_t=0.589049$ ,  $\phi_p=3.73064$   
 $E_\gamma=1$ ,  $\phi_\gamma=0.589049$   
 $Q^2=16.7159$ ,  $x_B=0.904629$ ,  $t=-9.20119$ ,  $W^2=2.64213$ ,  $y=0.895436$   
 $\theta(l', \gamma)=147.873$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.8495$   $p_y= 1.2358$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.8495$   $p_y= -1.2358$   $p_z= 0.0000$   
 $l'$   $E= 2.0345$   $p_x= -0.8315$   $p_y= -1.8568$   $p_z= 0.0000$   
 $P'$   $E= 1.6041$   $p_x= 0.0000$   $p_y= 1.3012$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.8315$   $p_y= 0.5556$   $p_z= 0.0000$

Transverse plane




$h_e=-1$ ,  $h_p=-1$ ,  $h_\gamma=+1$   
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=99.1%)



# L electron + Ty proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_mid\_egamma\_lty\_region\_3 C\_{ep}=0.0125822  
 region: mid\_Egamma\_LTy\_region\_3 final-pair delta\_xy=2.54793 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|L_e\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.75164$   
 $\theta_{in}=1.57079$ ,  $\phi_l=3.53429$ ,  $\phi_p=0.392699$   
 $E_\gamma=1$ ,  $\phi_\gamma=3.53429$   
 $Q^2=8.81411$ ,  $x_B=0.623844$ ,  $t=-4.85168$ ,  $W^2=6.19444$ ,  $y=0.684663$   
 $\theta(l', \gamma)=101.515$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -2.0551$   $p_y= -0.8512$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 2.0551$   $p_y= 0.8512$   $p_z= 0.0000$   
 $l'$   $E= 1.6515$   $p_x= 0.9239$   $p_y= -1.3690$   $p_z= 0.0000$   
 $P'$   $E= 1.9870$   $p_x= 0.0000$   $p_y= 1.7516$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.9239$   $p_y= -0.3827$   $p_z= 0.0000$

Transverse plane



$h_e=-1$ ,  $h_p=-1$ ,  $h_\gamma=+1$   
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=1, retained=98.3%)

