



mid_Egamma L electron: max C_{ep} regions



L electron characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_l_lepton_region_0 C_{ep} =0.000129724
 region: mid_Egamma_L_lepton_region_0 final-pair delta_xy=2.90936 rad
 outgoing-state purity: 0.61401
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.18436$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.41786$
 $Q^2=0.150634$, $x_B=0.0165792$, $t=-0.000246023$, $W^2=9.81493$, $y=0.440285$
 $\theta(\ell', \gamma)=30.181$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.2613$ $p_x= 0.2903$ $p_y= -1.2274$ $p_z= 0.0000$
 P' $E= 2.3772$ $p_x= 0.0000$ $p_y= 2.1844$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.2903$ $p_y= -0.9569$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L electron characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_l_lepton_region_1 C_{ep}=1.77885e-05
 region: mid_Egamma L_lepton_region_1 final-pair delta_xy=2.55841 rad
 outgoing-state purity: 0.582242
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.8082$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=5.79231$
 $Q^2=1.17763$, $x_B=0.169287$, $t=-0.0310449$, $W^2=6.65862$, $y=0.337101$
 $\theta(l', \gamma)=95.2889$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.6015$ $p_x= -0.8819$ $p_y= -1.3368$ $p_z= 0.0000$
 P' $E= 2.0370$ $p_x= 0.0000$ $p_y= 1.8082$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.8819$ $p_y= -0.4714$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 electron L, proton $h=+1$


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
 electron L, proton $h=-1$

Leading initial-ensemble/final-state components (N=2, retained=96.3%)



L electron characteristic max C_{ep} configuration

3D momenta




c_ep_mid_egamma_l_lepton_region_2 $C_{ep}=8.5149\text{e-}06$
region: mid_Egamma_L_lepton_region_2 final-pair delta_xy=3.06173 rad
outgoing-state purity: 0.999964
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21987$
 $\theta_{in}=1.57079$, $\phi_l=1.47262$, $\phi_P=4.61421$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=10.8453$, $x_B=0.540011$, $t=-19.7041$, $W^2=10.118$, $y=0.973227$
 $\theta(l', \gamma)=10.2009$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 l' $E= 1.2286$ $p_x= 0.0980$ $p_y= -1.2247$ $p_z= 0.0000$
 P' $E= 2.4099$ $p_x= 0.0000$ $p_y= 2.2199$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton $h=+1$

$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton $h=+1$

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

