



Low_Egamma Tx electron + Tx proton: max C_{ey} regions



Tx electron + Tx proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_0 $C_{e\gamma}=0.999453$
 region: low_Egamma TxTx_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{X,e}\rangle \otimes |T_{X,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=4.90874$, $\phi_P=1.76715$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=0.168779$, $x_B=0.0678363$, $t=-0.19015$, $W^2=3.1991$, $y=0.120568$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.4340$ $p_y= -2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.4340$ $p_y= 2.1817$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx electron + Tx proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_1 C_{e\gamma}=0.948836
region: low_Egamma_TxTx_region_1 final-pair delta_xy=0.979264 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|T_{x,e}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.17199$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_p=0.687223$
 $E_\gamma=0.25$, $\phi_\gamma=3.82882$
 $Q^2=3.98059$, $x_B=0.680155$, $t=-3.53321$, $W^2=2.75173$, $y=0.283605$
 $\theta(l', \gamma)=56.1077$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 2.0226$ $p_x= 0.1933$ $p_y= -2.0134$ $p_z= 0.0000$
 P' $E= 2.3659$ $p_x= 0.0000$ $p_y= 2.1720$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= -0.1586$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=-1$
electron Tx, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
electron Tx, proton Tx

$h_e=-1, h_p=-1, h_\gamma=+1$
electron Tx, proton Tx


$h_e=+1, h_p=-1, h_\gamma=-1$
electron Tx, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=99.7%)



Tx electron + Tx proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_2 C_{e\gamma}=0.908848
region: low_Egamma_TxTx_region_2 final-pair delta_xy=1.18803 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|T_{x,e}\rangle \otimes |\overline{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.14934$
 $\theta_{in}=1.57079$, $\phi_l=5.79231$, $\phi_p=2.65072$
 $E_\gamma=0.25$, $\phi_\gamma=5.79231$
 $Q^2=5.69552$, $x_B=0.772309$, $t=-5.05541$, $W^2=2.55899$, $y=0.357369$
 $\theta(l',\gamma)=68.0691$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.9618$ $p_y= -1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.9618$ $p_y= 1.0486$ $p_z= 0.0000$
 l' $E= 2.0434$ $p_x= -0.2205$ $p_y= -2.0315$ $p_z= 0.0000$
 P' $E= 2.3451$ $p_x= 0.0000$ $p_y= 2.1493$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2205$ $p_y= -0.1178$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.7%)



Tx electron + Tx proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_txtx_region_3 C_{e\gamma}=0.592364
region: low_Egamma_TxTx_region_3 final-pair delta_xy=0 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|T_{x,e}\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=2.84707$, $\phi_P=5.98866$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=11.3337$, $x_B=0.830127$, $t=-12.7687$, $W^2=3.1991$, $y=0.661608$
 $\theta(l',\gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=-1$
electron Tx, proton Tx

$h_e=-1, h_p=+1, h_\gamma=+1$
electron Tx, proton Tx

$h_e=-1, h_p=-1, h_\gamma=+1$
electron Tx, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$
electron Tx, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=100.0%)

