



γ Electron Tx electron + Tx proton: max $P_{\text{GHZ}+}$ regions



Tx electron + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_txtx_region_0 $P_{\text{GHZ}}=0.465865$
 region: low_Egamma_TxTx_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,e}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.98279$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=2.94524$, $\phi_p=6.08684$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=0.981748$
 $Q^2=11.0607$, $x_B=0.975963$, $t=-10.5517$, $W^2=1.15226$, $y=0.549192$
 $\theta(\ell', \gamma)=149.878$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 ℓ' $E= 2.1951$ $p_x= -0.1389$ $p_y= -2.1907$ $p_z= 0.0000$
 P' $E= 2.1935$ $p_x= 0.0000$ $p_y= 1.9828$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.1389$ $p_y= 0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx electron + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_txtx_region_1 $P_{\text{GHZ}}=0.465865$
 region: low_Egamma_TxTx_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,e}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.98279$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=0.19635$, $\phi_p=3.33794$
 $E_Y=0.25$, $\phi_Y=2.15984$
 $Q^2=11.0607$, $x_B=0.975963$, $t=-10.5517$, $W^2=1.15226$, $y=0.549192$
 $\theta(\ell', \gamma)=149.878$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 ℓ' $E= 2.1951$ $p_x= 0.1389$ $p_y= -2.1907$ $p_z= 0.0000$
 P' $E= 2.1935$ $p_x= 0.0000$ $p_y= 1.9828$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= -0.1389$ $p_y= 0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx electron + Tx proton characteristic max P_{GHz} + configuration

3D momenta




ghz_purity_low_egamma_txtx_region_2 $P_{\text{GHz}}=0.465635$
 region: low_Egamma_TxTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,e}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.16098$
 $\theta_{\text{in}}=1.57079$, $\phi_l=2.94524$, $\phi_p=6.08684$
 $E_\gamma=0.25$, $\phi_\gamma=5.69414$
 $Q^2=9.89136$, $x_B=0.847622$, $t=-11.49$, $W^2=2.65802$, $y=0.565494$
 $\theta(l', \gamma)=62.1193$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 l' $E= 2.0327$ $p_x= -0.2079$ $p_y= -2.0221$ $p_z= 0.0000$
 P' $E= 2.3558$ $p_x= 0.0000$ $p_y= 2.1610$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2079$ $p_y= -0.1389$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx electron + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_txtx_region_3 $P_{\text{GHZ}}=0.465635$
 region: low_Egamma_TxTx_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,e}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.16098$
 $\theta_{\text{in}}=1.57079$, $\phi_l=0.19635$, $\phi_p=3.33794$
 $E_\gamma=0.25$, $\phi_\gamma=3.73064$
 $Q^2=9.89136$, $x_B=0.847622$, $t=-11.49$, $W^2=2.65802$, $y=0.565494$
 $\theta(l', \gamma)=62.1193$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 l' $E= 2.0327$ $p_x= 0.2079$ $p_y= -2.0221$ $p_z= 0.0000$
 P' $E= 2.3558$ $p_x= 0.0000$ $p_y= 2.1610$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2079$ $p_y= -0.1389$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

