



high_Egamma Tx electron + Ty proton: max C_{py} regions



Tx electron + Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_txtty_region_0 $C_{\{p\}\gamma}=0.987346$
 region: high_Egamma_TxTy_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,e}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=1.5708$
 $Q^2=6.70065e-09$, $x_B=2.19696e-09$, $t=-2.36711$, $W^2=3.92981$, $y=0.147798$
 $\theta(l', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx electron + Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_txy_region_1 C_{p\gamma}=0.986527
 region: high_Egamma_TxTy_region_1 final-pair delta_xy=0.981748 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,e}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_i=5.59596$, $\phi_p=2.45437$
 $E_\gamma=1.8$, $\phi_\gamma=2.55254$
 $Q^2=0.00414798$, $x_B=0.00132875$, $t=-2.40031$, $W^2=3.99742$, $y=0.151276$
 $\theta(\ell', \gamma)=176.176$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 ℓ' $E= 1.8884$ $p_x= 1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx electron + Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_txtty_region_2 $C_{p\gamma}=0.986527$
 region: high_Egamma_TxTy_region_2 final-pair delta_xy=0.981748 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,e}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.151482$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_p=0.687223$
 $E_\gamma=1.8$, $\phi_\gamma=0.589049$
 $Q^2=0.00414798$, $x_B=0.00132875$, $t=-2.40031$, $W^2=3.99742$, $y=0.151276$
 $\theta(l', \gamma)=176.176$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= 0.0000$
 l' $E= 1.8884$ $p_x= -1.4966$ $p_y= -1.1515$ $p_z= 0.0000$
 P' $E= 0.9502$ $p_x= 0.0000$ $p_y= 0.1515$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

