



low_Egamma Ty electron: max P_W regions



Ty electron characteristic max P_W configuration

3D momenta




w_purity low egamma ty lepton_region_0 P_W=0.307028
 region: low_Egamma_Ty_lepton_region_0
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(T_{Y,e}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=5.98866$, $\phi_P=2.84707$
 $E_Y=0.25$, $\phi_Y=4.71239$
 $Q^2=6.23404$, $x_B=0.728846$, $t=-7.02339$, $W^2=3.1991$, $y=0.414484$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty electron characteristic max P_W configuration

3D momenta




w_purity low egamma ty lepton_region_1 P_W=0.294916
 region: low_Egamma_Ty_lepton_region_1
 outgoing-state purity: 0.50004
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(T_{y,e}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.11192$
 $\theta_{in}=1.57079$, $\phi_l=6.08684$, $\phi_P=2.94524$
 $E_\gamma=0.25$, $\phi_\gamma=6.08684$
 $Q^2=8.52241$, $x_B=0.862257$, $t=-7.56459$, $W^2=2.24128$, $y=0.478961$
 $\theta(l', \gamma)=85.5276$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.1817$ $p_y= -0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1817$ $p_y= 0.4340$ $p_z= 0.0000$
 l' $E= 2.0777$ $p_x= -0.2452$ $p_y= -2.0631$ $p_z= 0.0000$
 P' $E= 2.3109$ $p_x= 0.0000$ $p_y= 2.1119$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= -0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=99.7%)



Ty electron characteristic max P_W configuration

3D momenta




w_purity low egamma ty lepton_region_2 P_W=0.229515
 region: low Egamma Ty lepton_region_2
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(T_{Y,e}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20723$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_Y=0.25$, $\phi_Y=5.20326$
 $Q^2=0.0155362$, $x_B=0.00710071$, $t=-4.48838e-05$, $W^2=3.05228$, $y=0.106027$
 $\theta(l', \gamma)=31.5197$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.9902$ $p_x= -0.1178$ $p_y= -1.9868$ $p_z= 0.0000$
 P' $E= 2.3983$ $p_x= 0.0000$ $p_y= 2.2072$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= 0.1178$ $p_y= -0.2205$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_Y=+1$ electron Ty, proton h=+1	phase=-1.54, Re=2.61e+01, Im=-8.81e+02
$h_e=-1, h_p=+1, h_Y=-1$ electron Ty, proton h=-1	phase=-0.03, Re=8.81e+02, Im=-2.61e+01
$h_e=-1, h_p=-1, h_Y=+1$ electron Ty, proton h=+1	phase=-0.03, Re=7.88e+02, Im=-2.33e+01
$h_e=+1, h_p=+1, h_Y=-1$ electron Ty, proton h=-1	phase=-1.54, Re=2.34e+01, Im=-7.88e+02
$h_e=-1, h_p=+1, h_Y=+1$ electron Ty, proton h=+1	phase=-0.07, Re=4.74e+02, Im=-3.20e+01
$h_e=-1, h_p=-1, h_Y=+1$ electron Ty, proton h=-1	phase=-0.07, Re=4.75e+02, Im=-3.17e+01
$h_e=+1, h_p=-1, h_Y=-1$ electron Ty, proton h=-1	phase=1.64, Re=-3.12e+01, Im=4.75e+02
$h_e=+1, h_p=+1, h_Y=-1$ electron Ty, proton h=+1	phase=1.64, Re=-3.08e+01, Im=4.75e+02

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty electron characteristic max P_W configuration

3D momenta




w_purity_low_egamma_ty_lepton_region_3 P_W=0.205378
 region: low_Egamma_Ty_lepton_region_3
 outgoing-state purity: 0.501977
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,e},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99765$
 $\theta_{in}=1.57079$, $\phi_l=0.785398$, $\phi_P=3.92699$
 $E_\gamma=0.25$, $\phi_\gamma=0.785398$
 $Q^2=17.102$, $x_B=0.977303$, $t=-15.18$, $W^2=1.27702$, $y=0.847994$
 $\theta(l',\gamma)=139.648$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 l' $E= 2.1816$ $p_x= -0.1768$ $p_y= -2.1744$ $p_z= 0.0000$
 P' $E= 2.2069$ $p_x= 0.0000$ $p_y= 1.9977$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1768$ $p_y= 0.1768$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=96.5%)

