



low_Egamma L proton: max $C_{e\gamma}$ regions



L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_0 $C_{e\gamma}=0.00124069$
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.684222
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=3.14159$, $\phi_p=0$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=8.78386$, $x_B=0.791116$, $t=-9.89607$, $W^2=3.1991$, $y=0.538046$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_1 $C_{e\gamma}=0.00124069$
 region: low_Egamma_L_proton_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 0.684222
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_P=3.14159$
 $E_V=0.25$, $\phi_V=4.71239$
 $Q^2=8.78386$, $x_B=0.791116$, $t=-9.89607$, $W^2=3.1991$, $y=0.538046$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_2 $C_{e\gamma}=0.00044088$
 region: low_Egamma_L_proton_region_2 final-pair delta_xy=0 rad
 outgoing-state purity: 0.500226
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22442$
 $\theta_{in}=1.57079$, $\phi_l=4.90874$, $\phi_p=1.76715$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=0.168779$, $x_B=0.0678363$, $t=-0.19015$, $W^2=3.1991$, $y=0.120568$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.4340$ $p_y= -2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.4340$ $p_y= 2.1817$ $p_z= 0.0000$
 l' $E= 1.9744$ $p_x= 0.0000$ $p_y= -1.9744$ $p_z= 0.0000$
 P' $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_3 $C_{\{e\gamma\}}=0.000260926$
region: low_Egamma_L_proton_region_3 final-pair delta_xy=0.110582 rad
outgoing-state purity: 0.999727
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22371$
 $\theta_{in}=1.57079$, $\phi_l=1.47262$, $\phi_p=4.61421$
 $E_\gamma=0.25$, $\phi_\gamma=4.81056$
 $Q^2=17.5412$, $x_B=0.883491$, $t=-19.7382$, $W^2=3.19307$, $y=0.962126$
 $\theta(l', \gamma)=6.33588$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 l' $E= 1.9751$ $p_x= -0.0245$ $p_y= -1.9749$ $p_z= 0.0000$
 P' $E= 2.4134$ $p_x= 0.0000$ $p_y= 2.2237$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0245$ $p_y= -0.2488$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

