



low_Egamma Tx proton: max C_{ep} regions



Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_0 C_{ep}=1.00529e-05
 region: low_Egamma Tx_proton_region_0 final-pair delta_xy=3.12919 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_e} \rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{p}|=2.22442$, $|\vec{p}'|=2.22371$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=4.61421$
 $Q^2=17.5728$, $x_B=0.883676$, $t=-19.7859$, $W^2=3.19307$, $y=0.963658$
 $\theta(l', \gamma)=6.33588$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 l' $E= 1.9751$ $p_x= 0.0245$ $p_y= -1.9749$ $p_z= 0.0000$
 P' $E= 2.4134$ $p_x= 0.0000$ $p_y= 2.2237$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0245$ $p_y= -0.2488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_1 C_{ep} =9.18996e-06
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=3.02554 rad
 outgoing-state purity: 0.500213
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.12467$
 $\theta_{in}=1.57079$, $\phi_l=1.47262$, $\phi_P=4.61421$
 $E_\gamma=0.25$, $\phi_\gamma=5.98866$
 $Q^2=18.3811$, $x_B=0.925966$, $t=-18.8607$, $W^2=2.34948$, $y=0.961948$
 $\theta(l', \gamma)=79.7746$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 l' $E= 2.0660$ $p_x= -0.2392$ $p_y= -2.0521$ $p_z= 0.0000$
 P' $E= 2.3225$ $p_x= 0.0000$ $p_y= 2.1247$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2392$ $p_y= -0.0726$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_2 C_{ep} =9.07182e-06
 region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=3.03373 rad
 outgoing-state purity: 0.500211
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.03741$
 $\theta_{in}=1.57079$, $\phi_i=1.66897$, $\phi_P=4.81056$
 $E_\gamma=0.25$, $\phi_\gamma=2.74889$
 $Q^2=19.09$, $x_B=0.963089$, $t=-18.0903$, $W^2=1.61148$, $y=0.960535$
 $\theta(l', \gamma)=118.68$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 2.1456$ $p_x= 0.2310$ $p_y= -2.1331$ $p_z= 0.0000$
 P' $E= 2.2430$ $p_x= 0.0000$ $p_y= 2.0374$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2310$ $p_y= 0.0957$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

