



low_Egamma Tx proton: max C_{py} regions



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_0 C_{p\gamma}=0.999987
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=1.56301e-11$, $x_B=1.47039e-10$, $t=-0.0114583$, $W^2=0.986143$, $y=0.00515116$
 $\theta(l', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton Tx

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton Tx


$h_e=-1, h_p=-1, h_\gamma=+1$
 electron h=-1, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_1 C_{p\gamma}=0.984344
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=1.37445 rad
 outgoing-state purity: 0.506766
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{X,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_Y=0.25$, $\phi_Y=0.19635$
 $Q^2=0.0631736$, $x_B=0.0635316$, $t=-0.00429535$, $W^2=1.81103$, $y=0.0481859$
 $\theta(l', \gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1240$ $p_x= -0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.3%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_2 C_{p\gamma}=0.984344
 region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=1.37445 rad
 outgoing-state purity: 0.506766
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.94524$
 $Q^2=0.0631736$, $x_B=0.0635316$, $t=-0.00429535$, $W^2=1.81103$, $y=0.0481859$
 $\theta(l', \gamma)=107.879$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1240$ $p_x= 0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.3%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_3 C_{p\gamma}=0.658929
 region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=2.74889 rad
 outgoing-state purity: 0.598376
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21331$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=4.31969$
 $Q^2=0.0102647$, $x_B=0.00459348$, $t=-1.87039e-05$, $W^2=3.10419$, $y=0.108287$
 $\theta(l', \gamma)=25.263$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.9846$ $p_x= 0.0957$ $p_y= -1.9823$ $p_z= 0.0000$
 P' $E= 2.4039$ $p_x= 0.0000$ $p_y= 2.2133$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0957$ $p_y= -0.2310$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=99.0%)

