



low_Egamma L auxiliary lepton + Tx proton: max $P_{\text{GHZ}+}$ regions



L auxiliary lepton + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ltx_region_0 $P_{\{\text{rm GHZ}\}}=0.302539$
region: low_Egamma_LTx_region_0
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\ell\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.87648$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=0.981748$, $\phi_p=4.12334$
 $E_\gamma=0.25$, $\phi_\gamma=2.35619$
 $Q^2=15.4648$, $x_B=0.975679$, $t=-14.4916$, $W^2=1.26534$, $y=0.807204$
 $\theta(\ell', \gamma)=139.921$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= 1.1706$ $p_y= 1.7519$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -1.1706$ $p_y= -1.7519$ $p_z= 0.0000$
 ℓ' $E= 2.2907$ $p_x= 0.1768$ $p_y= -2.0533$ $p_z= 0.0000$
 P' $E= 2.0979$ $p_x= 0.0000$ $p_y= 1.8765$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1768$ $p_y= 0.1768$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton Tx


$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.2%)



L auxiliary lepton + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ltx_region_1 $P_{\{\text{rm GHZ}\}}=0.301728$
region: low_Egamma_LTx_region_1
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\ell\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.03167$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=0.981748$, $\phi_p=4.12334$
 $E_\gamma=0.25$, $\phi_\gamma=3.73064$
 $Q^2=14.1772$, $x_B=0.893872$, $t=-15.6806$, $W^2=2.56309$, $y=0.807723$
 $\theta(\ell', \gamma)=62.5172$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 1.1706$ $p_y= 1.7519$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -1.1706$ $p_y= -1.7519$ $p_z= 0.0000$
 l' $E= 2.1508$ $p_x= 0.2079$ $p_y= -1.8928$ $p_z= 0.0000$
 P' $E= 2.2377$ $p_x= 0.0000$ $p_y= 2.0317$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2079$ $p_y= -0.1389$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=98.7%)

