



gamma L auxiliary lepton + Tx proton: max $C_{\ell\gamma}$ regions



L auxiliary lepton + Tx proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_mid_egamma_ltx_region_0 C_{l_aux\gamma}=0.60201
 region: mid_Egamma_LTx_region_0 final-pair delta_xy=0.194912 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\ell\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00525$
 $\theta_{in}=1.57079$, $\phi_\ell=0.294524$, $\phi_p=3.43612$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=6.27631$, $x_B=0.427103$, $t=-10.9046$, $W^2=9.29862$, $y=0.748374$
 $\theta(\ell', \gamma)=11.1676$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.3322$	$p_x= 2.0162$	$p_y= 0.6116$	$p_z= -0.0000$
P	$E= 2.3063$	$p_x= -2.0162$	$p_y= -0.6116$	$p_z= 0.0000$
ℓ'	$E= 1.4247$	$p_x= -0.0980$	$p_y= -1.0101$	$p_z= 0.0000$
P'	$E= 2.2138$	$p_x= 0.0000$	$p_y= 2.0053$	$p_z= 0.0000$
q_γ	$E= 1.0000$	$p_x= 0.0980$	$p_y= -0.9952$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=97.3%)



L auxiliary lepton + Tx proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_mid_egamma_ltx_region_1 $C_{\{\ell_{\text{aux}}\gamma\}}=0.595746$
 region: mid_Egamma_LTx_region_1 final-pair delta_xy=0.194912 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{\ell}\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00525$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=2.94524$, $\phi_P=6.08684$
 $E_{\gamma}=1$, $\phi_{\gamma}=4.61421$
 $Q^2=5.88098$, $x_B=0.411264$, $t=-10.1002$, $W^2=9.29862$, $y=0.728242$
 $\theta(\ell', \gamma)=11.1676$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -2.0665$ $p_y= 0.4110$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 2.0665$ $p_y= -0.4110$ $p_z= 0.0000$
 ℓ' $E= 1.4247$ $p_x= 0.0980$ $p_y= -1.0101$ $p_z= 0.0000$
 P' $E= 2.2138$ $p_x= 0.0000$ $p_y= 2.0053$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=98.8%)



L auxiliary lepton + Tx proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_mid_egamma_ltx_region_2 $C_{\{\ell_{\text{aux}}\gamma\}}=0.564628$
 region: mid_Egamma_LTx_region_2 final-pair delta_xy=1.22919 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_\ell\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.82664$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=4.61421$, $\phi_P=1.47262$
 $E_\gamma=1$, $\phi_\gamma=4.02517$
 $Q^2=1.23718$, $x_B=0.151466$, $t=-0.0516728$, $W^2=7.81067$, $y=0.415971$
 $\theta(\ell', \gamma)=70.4273$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 ℓ' $E= 1.5851$ $p_x= 0.6344$ $p_y= -1.0536$ $p_z= 0.0000$
 P' $E= 2.0534$ $p_x= 0.0000$ $p_y= 1.8266$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.6344$ $p_y= -0.7730$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=99.1%)



L auxiliary lepton + Tx proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_mid_egamma_ltx_region_3 $C_{\{l_aux\}\gamma}=0.547847$
 region: mid_Egamma_LTx_region_3 final-pair delta_xy=1.49861 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_l\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.72863$
 $\theta_{in}=1.57079$, $\phi_l=5.10509$, $\phi_p=1.9635$
 $E_\gamma=1$, $\phi_\gamma=5.59596$
 $Q^2=2.78451$, $x_B=0.312472$, $t=-0.582284$, $W^2=7.00655$, $y=0.45382$
 $\theta(l', \gamma)=85.8639$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 0.8063$ $p_y= -1.9466$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.8063$ $p_y= 1.9466$ $p_z= 0.0000$
 l' $E= 1.6718$ $p_x= -0.7730$ $p_y= -1.0942$ $p_z= 0.0000$
 P' $E= 1.9667$ $p_x= 0.0000$ $p_y= 1.7286$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.7730$ $p_y= -0.6344$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=97.7%)

