



Gamma L auxiliary lepton + Ty proton: max $C_{\ell\gamma}$ regions



L auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_lty_region_0 C_{l_aux\gamma}=0.734642
 region: low_Egamma_LTy_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\ell\rangle \otimes |T_{\gamma,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.09195$
 $\theta_{in}=1.57079$, $\phi_\ell=0.785398$, $\phi_p=3.92699$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=13.2646$, $x_B=0.858167$, $t=-15.0486$, $W^2=3.07213$, $y=0.787168$
 $\theta(\ell', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= 1.4898$ $p_y= 1.4898$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -1.4898$ $p_y= -1.4898$ $p_z= 0.0000$
 ℓ' $E= 2.0959$ $p_x= 0.0000$ $p_y= -1.8420$ $p_z= 0.0000$
 P' $E= 2.2926$ $p_x= 0.0000$ $p_y= 2.0920$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=97.0%)



L auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_lty_region_1 C_{l_aux\gamma}=0.734642
 region: low_Egamma_LTy_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\ell\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.09195$
 $\theta_{in}=1.57079$, $\phi_\ell=2.35619$, $\phi_p=5.49779$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=13.2646$, $x_B=0.858167$, $t=-15.0486$, $W^2=3.07213$, $y=0.787168$
 $\theta(\ell', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -1.4898$ $p_y= 1.4898$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 1.4898$ $p_y= -1.4898$ $p_z= 0.0000$
 ℓ' $E= 2.0959$ $p_x= 0.0000$ $p_y= -1.8420$ $p_z= 0.0000$
 P' $E= 2.2926$ $p_x= 0.0000$ $p_y= 2.0920$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=97.0%)



L auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_lty_region 2 $C_{\{\ell_{\text{aux}}\gamma\}}=0.699983$
 region: low_Egamma_LTy_region_2 final-pair delta_xy=0.879397 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\ell\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.05186$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=4.22152$, $\phi_p=1.07992$
 $E_\gamma=0.25$, $\phi_\gamma=3.92699$
 $Q^2=1.32923$, $x_B=0.417639$, $t=-1.02146$, $W^2=2.73334$, $y=0.162086$
 $\theta(\ell', \gamma)=50.3857$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -0.9932$ $p_y= -1.8582$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.9932$ $p_y= 1.8582$ $p_z= 0.0000$
 ℓ' $E= 2.1324$ $p_x= 0.1768$ $p_y= -1.8751$ $p_z= 0.0000$
 P' $E= 2.2561$ $p_x= 0.0000$ $p_y= 2.0519$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1768$ $p_y= -0.1768$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=99.9%)



L auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_lty_region_3 $C_{\{\ell_{\text{aux}}\gamma\}}=0.699983$
 region: low_Egamma_LTy_region_3 final-pair delta_xy=0.879397 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\ell\rangle \otimes |\bar{T}_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.05186$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=5.20326$, $\phi_p=2.06167$
 $E_\gamma=0.25$, $\phi_\gamma=5.49779$
 $Q^2=1.32923$, $x_B=0.417639$, $t=-1.02146$, $W^2=2.73334$, $y=0.162086$
 $\theta(\ell', \gamma)=50.3857$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= 0.9932$ $p_y= -1.8582$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.9932$ $p_y= 1.8582$ $p_z= 0.0000$
 ℓ' $E= 2.1324$ $p_x= -0.1768$ $p_y= -1.8751$ $p_z= 0.0000$
 P' $E= 2.2561$ $p_x= 0.0000$ $p_y= 2.0519$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1768$ $p_y= -0.1768$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=99.9%)

