



low_Egamma L auxiliary lepton: max $P_{\text{GHZ}+}$ regions



L auxiliary lepton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_l_lepton_region_0 $P_{\{\rm GHZ\}}=0.279634$
region: low_Egamma_L_lepton_region_0
outgoing-state purity: 0.507111
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\ell, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.09195$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=0.0143762$, $x_B=0.00651489$, $t=-3.73942\text{e-}05$, $W^2=3.07213$, $y=0.112378$
 $\theta(\ell', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.0959$ $p_x= 0.0000$ $p_y= -1.8420$ $p_z= 0.0000$
 P' $E= 2.2926$ $p_x= 0.0000$ $p_y= 2.0920$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=99.9%)



L auxiliary lepton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_l_lepton_region_1 $P_{\text{GHZ}}=0.278027$
region: low_Egamma_L_lepton_region_1
outgoing-state purity: 0.997541
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_l, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.86897$
 $\theta_{\text{in}}=1.57079$, $\phi_l=1.37445$, $\phi_p=4.51604$
 $E_\gamma=0.25$, $\phi_\gamma=2.25802$
 $Q^2=17.1085$, $x_B=0.981459$, $t=-15.6103$, $W^2=1.20305$, $y=0.887743$
 $\theta(l', \gamma)=145.023$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 0.4110$ $p_y= 2.0665$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.4110$ $p_y= -2.0665$ $p_z= 0.0000$
 l' $E= 2.2974$ $p_x= 0.1586$ $p_y= -2.0622$ $p_z= 0.0000$
 P' $E= 2.0911$ $p_x= 0.0000$ $p_y= 1.8690$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1586$ $p_y= 0.1933$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton $h=+1$


$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton $h=+1$

Leading initial-ensemble/final-state components (N=2, retained=99.7%)



L auxiliary lepton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_l_lepton_region_2 $P_{\text{GHZ}}=0.278027$
region: low_Egamma_L_lepton_region_2
outgoing-state purity: 0.997541
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_i, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.86897$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=1.76715$, $\phi_P=4.90874$
 $E_Y=0.25$, $\phi_Y=0.883573$
 $Q^2=17.1085$, $x_B=0.981459$, $t=-15.6103$, $W^2=1.20305$, $y=0.887743$
 $\theta(\ell', \gamma)=145.023$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.4110$ $p_y= 2.0665$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.4110$ $p_y= -2.0665$ $p_z= 0.0000$
 ℓ' $E= 2.2974$ $p_x= -0.1586$ $p_y= -2.0622$ $p_z= 0.0000$
 P' $E= 2.0911$ $p_x= 0.0000$ $p_y= 1.8690$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= 0.1586$ $p_y= 0.1933$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_Y=+1$
electron L, proton $h=+1$

$h_e=+1, h_p=+1, h_Y=-1$
electron L, proton $h=+1$

Leading initial-ensemble/final-state components (N=2, retained=99.7%)

