



low_Egamma Tx auxiliary lepton + Tx proton: max P_W regions



Tx auxiliary lepton + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_txtx_region_0 P_W=0.513028
 region: low_Egamma_TxTx_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,l}\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.06076$
 $\theta_{in}=1.57079$, $\phi_l=5.10509$, $\phi_p=1.9635$
 $E_V=0.25$, $\phi_V=5.39961$
 $Q^2=0.894045$, $x_B=0.316741$, $t=-0.661375$, $W^2=2.80844$, $y=0.143748$
 $\theta(l', \gamma)=44.2292$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 0.8063$ $p_y= -1.9466$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.8063$ $p_y= 1.9466$ $p_z= 0.0000$
 l' $E= 2.1243$ $p_x= -0.1586$ $p_y= -1.8675$ $p_z= 0.0000$
 P' $E= 2.2642$ $p_x= 0.0000$ $p_y= 2.0608$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.2%)



Tx auxiliary lepton + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_txtx_region_1 P_W=0.38259
 region: low_Egamma_TxTx_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.97282$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.23977$
 $Q^2=0.0706362$, $x_B=0.0560804$, $t=-0.00314184$, $W^2=2.06876$, $y=0.0641451$
 $\theta(\ell', \gamma)=91.6522$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.2041$ $p_x= 0.2488$ $p_y= -1.9483$ $p_z= 0.0000$
 P' $E= 2.1845$ $p_x= 0.0000$ $p_y= 1.9728$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2488$ $p_y= -0.0245$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton Tx

$h_e=-1, h_p=+1, h_\gamma=-1$
 electron Tx, proton Tx


$h_e=+1, h_p=-1, h_\gamma=+1$
 electron Tx, proton Tx

$h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton Tx

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton Tx


$h_e=-1, h_p=-1, h_\gamma=-1$
 electron Tx, proton Tx

Leading initial-ensemble/final-state components (N=6, retained=97.0%)



Tx auxiliary lepton + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_txtx_region_2 P_W=0.337947
 region: low_Egamma_TxTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.8483$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=1.86532$
 $Q^2=0.00537493$, $x_B=0.0341558$, $t=-0.012321$, $W^2=1.03183$, $y=0.00801412$
 $\theta(\ell', \gamma)=165.116$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.3158$ $p_x= 0.0726$ $p_y= -2.0875$ $p_z= 0.0000$
 P' $E= 2.0727$ $p_x= 0.0000$ $p_y= 1.8483$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0726$ $p_y= 0.2392$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.9%)



Tx auxiliary lepton + Tx proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_txtx_region_3 P_W=0.302454
 region: low_Egamma_TxTx_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.90379$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.490874$
 $Q^2=0.0515301$, $x_B=0.0776088$, $t=-0.00742145$, $W^2=1.49229$, $y=0.033814$
 $\theta(\ell', \gamma)=124.349$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.2662$ $p_x= -0.2205$ $p_y= -2.0216$ $p_z= 0.0000$
 P' $E= 2.1223$ $p_x= 0.0000$ $p_y= 1.9038$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2205$ $p_y= 0.1178$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=97.5%)

