



Gamma Tx auxiliary lepton + Tx proton: max P_{GHZ} + regions



Tx auxiliary lepton + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_mid_egamma_ttxt_region_0 $P_{\{\text{rm GHZ}\}}=0.769384$
 region: mid_Egamma_TxTx_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.00946$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=4.71239$, $\phi_p=1.5708$
 $E_{\gamma}=1$, $\phi_{\gamma}=4.71239$
 $Q^2=0.374018$, $x_B=0.0423666$, $t=-0.00163504$, $W^2=9.33396$, $y=0.449589$
 $\theta(\ell', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 1.4209$ $p_x= 0.0000$ $p_y= -1.0095$ $p_z= 0.0000$
 P' $E= 2.2176$ $p_x= 0.0000$ $p_y= 2.0095$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= -0.0000$ $p_y= -1.0000$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_{\gamma}=+1$
 electron Tx, proton Tx

$h_e=-1, h_p=-1, h_{\gamma}=-1$
 electron Tx, proton Tx

$h_e=-1, h_p=+1, h_{\gamma}=+1$
 electron Tx, proton Tx


$h_e=+1, h_p=-1, h_{\gamma}=-1$
 electron Tx, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx auxiliary lepton + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_mid_egamma_tctx_region_1 $P_{\{\text{rm GHZ}\}}=0.651972$
 region: mid_Egamma TxTx_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,l}\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.67685$
 $\theta_{\text{in}}=1.57079$, $\phi_l=0.490874$, $\phi_p=3.63247$
 $E_\gamma=1$, $\phi_\gamma=3.73064$
 $Q^2=5.14682$, $x_B=0.47424$, $t=-10.4337$, $W^2=6.58579$, $y=0.552697$
 $\theta(l', \gamma)=92.8084$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 1.8582$ $p_y= 0.9932$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -1.8582$ $p_y= -0.9932$ $p_z= 0.0000$
 l' $E= 1.7171$ $p_x= 0.8315$ $p_y= -1.1213$ $p_z= 0.0000$
 P' $E= 1.9214$ $p_x= 0.0000$ $p_y= 1.6768$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.8315$ $p_y= -0.5556$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.9%)



Tx auxiliary lepton + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_mid_egamma_ttxt_region_2 $P_{\{\text{rm GHZ}\}}=0.651972$
 region: mid_Egamma TxTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,l}\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.67685$
 $\theta_{\text{in}}=1.57079$, $\phi_l=2.65072$, $\phi_p=5.79231$
 $E_\gamma=1$, $\phi_\gamma=5.69414$
 $Q^2=5.14682$, $x_B=0.47424$, $t=-10.4337$, $W^2=6.58579$, $y=0.552697$
 $\theta(l', \gamma)=92.8084$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -1.8582$ $p_y= 0.9932$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 1.8582$ $p_y= -0.9932$ $p_z= 0.0000$
 l' $E= 1.7171$ $p_x= -0.8315$ $p_y= -1.1213$ $p_z= 0.0000$
 P' $E= 1.9214$ $p_x= 0.0000$ $p_y= 1.6768$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.8315$ $p_y= -0.5556$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.9%)



Tx auxiliary lepton + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_mid_egamma_txtx_region_3 $P_{\text{GHZ}}=0.636003$
 region: mid_Egamma_TxTx_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.03133$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=3.04342$, $\phi_p=6.18501$
 $E_{\gamma}=1$, $\phi_{\gamma}=1.86532$
 $Q^2=10.5075$, $x_B=0.928074$, $t=-5.09667$, $W^2=1.69418$, $y=0.576587$
 $\theta(\ell', \gamma)=171.431$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -2.0968$ $p_y= 0.2065$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 2.0968$ $p_y= -0.2065$ $p_z= 0.0000$
 ℓ' $E= 2.2444$ $p_x= 0.2903$ $p_y= -1.9883$ $p_z= 0.0000$
 P' $E= 1.3941$ $p_x= 0.0000$ $p_y= 1.0313$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= -0.2903$ $p_y= 0.9569$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

