



low_Egamma Tx auxiliary lepton + Ty proton: max $C_{\ell\gamma}$ regions



Tx auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_txtty_region_0 C_{l_aux\gamma}=0.939569
 region: low_Egamma_TxTy_region_0 final-pair delta_xy=0.554314 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.07562$
 $\theta_{in}=1.57079$, $\phi_\ell=4.61421$, $\phi_p=1.47262$
 $E_\gamma=0.25$, $\phi_\gamma=4.22152$
 $Q^2=0.114584$, $x_B=0.0528349$, $t=-0.0422808$, $W^2=2.93397$, $y=0.110446$
 $\theta(\ell', \gamma)=31.7599$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 ℓ' $E= 2.1108$ $p_x= 0.1178$ $p_y= -1.8551$ $p_z= 0.0000$
 P' $E= 2.2777$ $p_x= 0.0000$ $p_y= 2.0756$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1178$ $p_y= -0.2205$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=97.1%)



Tx auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_txtty_region_1 $C_{\ell\text{aux}\gamma}=0.870848$
 region: low_EgammaTxTy_region_1 final-pair delta_xy=1.09113 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.03167$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=5.49779$, $\phi_p=2.35619$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=5.69414$
 $Q^2=3.01163$, $x_B=0.641472$, $t=-2.50849$, $W^2=2.56309$, $y=0.239095$
 $\theta(\ell', \gamma)=62.5172$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.3322$	$p_x= 1.4898$	$p_y= -1.4898$	$p_z= -0.0000$
P	$E= 2.3063$	$p_x= -1.4898$	$p_y= 1.4898$	$p_z= 0.0000$
ℓ'	$E= 2.1508$	$p_x= -0.2079$	$p_y= -1.8928$	$p_z= 0.0000$
P'	$E= 2.2377$	$p_x= 0.0000$	$p_y= 2.0317$	$p_z= 0.0000$
q_{γ}	$E= 0.2500$	$p_x= 0.2079$	$p_y= -0.1389$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=98.1%)



Tx auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_txtty_region_2 C_{\ell\aux\gamma}=0.791165
 region: low_Egamma_TxTy_region_2 final-pair delta_xy=1.50041 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.98505$
 $\theta_{in}=1.57079$, $\phi_\ell=3.43612$, $\phi_P=0.294524$
 $E_\gamma=0.25$, $\phi_\gamma=3.33794$
 $Q^2=6.84935$, $x_B=0.841367$, $t=-5.93918$, $W^2=2.17123$, $y=0.414582$
 $\theta(\ell', \gamma)=85.9671$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -2.0162$ $p_y= -0.6116$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 2.0162$ $p_y= 0.6116$ $p_z= 0.0000$
 ℓ' $E= 2.1930$ $p_x= 0.2452$ $p_y= -1.9363$ $p_z= 0.0000$
 P' $E= 2.1955$ $p_x= 0.0000$ $p_y= 1.9850$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2452$ $p_y= -0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=97.2%)



Tx auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_low_egamma_txtty_region_3 $C_{\ell\gamma}=0.747238$
 region: low_Egamma_TxTy_region_3 final-pair delta_xy=0.111474 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.09128$
 $\theta_{in}=1.57079$, $\phi_\ell=3.33794$, $\phi_P=0.19635$
 $E_\gamma=0.25$, $\phi_\gamma=4.81056$
 $Q^2=6.16304$, $x_B=0.73812$, $t=-7.09324$, $W^2=3.06645$, $y=0.425222$
 $\theta(\ell', \gamma)=6.38697$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -2.0665$ $p_y= -0.4110$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 2.0665$ $p_y= 0.4110$ $p_z= 0.0000$
 ℓ' $E= 2.0965$ $p_x= -0.0245$ $p_y= -1.8425$ $p_z= 0.0000$
 P' $E= 2.2920$ $p_x= 0.0000$ $p_y= 2.0913$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0245$ $p_y= -0.2488$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=97.6%)

