



mid_Egamma Tx auxiliary lepton + Ty proton: max $C_{\ell\gamma}$ regions



Tx auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_mid_egamma_txty_region_0 C_{\ell\gamma}=0.935274
 region: mid_Egamma_TxTy_region_0 final-pair delta_xy=0.572966 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.97239$
 $\theta_{in}=1.57079$, $\phi_\ell=4.31969$, $\phi_P=1.1781$
 $E_\gamma=1$, $\phi_\gamma=5.00691$
 $Q^2=0.362754$, $x_B=0.0426477$, $t=-0.635833$, $W^2=9.02291$, $y=0.433175$
 $\theta(\ell', \gamma)=32.8285$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.8063$ $p_y= -1.9466$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.8063$ $p_y= 1.9466$ $p_z= 0.0000$
 ℓ' $E= 1.4544$ $p_x= -0.2903$ $p_y= -1.0155$ $p_z= 0.0000$
 P' $E= 2.1841$ $p_x= 0.0000$ $p_y= 1.9724$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.2903$ $p_y= -0.9569$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=97.5%)



Tx auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_mid_egamma_txtty_region_1 $C_{\ell\text{aux}\gamma}=0.873764$
 region: mid_Egamma_TxTy_region_1 final-pair delta_xy=0.386793 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.99277$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=5.59596$, $\phi_p=2.45437$
 $E_{\gamma}=1$, $\phi_{\gamma}=4.51604$
 $Q^2=1.35745$, $x_B=0.140357$, $t=-3.07237$, $W^2=9.19378$, $y=0.492534$
 $\theta(\ell', \gamma)=22.1616$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= 1.6287$ $p_y= -1.3366$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -1.6287$ $p_y= 1.3366$ $p_z= 0.0000$
 ℓ' $E= 1.4360$ $p_x= 0.1951$ $p_y= -1.0120$ $p_z= 0.0000$
 P' $E= 2.2025$ $p_x= 0.0000$ $p_y= 1.9928$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= -0.1951$ $p_y= -0.9808$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=98.8%)



Tx auxiliary lepton + Ty proton characteristic max $C_{\ell\gamma}$ configuration

3D momenta




c_aux_gamma_mid_egamma_txyty_region_2 $C_{\{\ell_{\text{aux}}\gamma\}}=0.798544$
 region: mid_Egamma_TxTy_region_2 final-pair delta_xy=1.61981 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.67685$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_p=0.687223$
 $E_\gamma=1$, $\phi_\gamma=3.73064$
 $Q^2=5.72046$, $x_B=0.500635$, $t=-2.6202$, $W^2=6.58579$, $y=0.581911$
 $\theta(\ell', \gamma)=92.8084$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -1.6287$ $p_y= -1.3366$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 1.6287$ $p_y= 1.3366$ $p_z= 0.0000$
 ℓ' $E= 1.7171$ $p_x= 0.8315$ $p_y= -1.1213$ $p_z= 0.0000$
 P' $E= 1.9214$ $p_x= 0.0000$ $p_y= 1.6768$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.8315$ $p_y= -0.5556$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=97.3%)

