



mid_Egamma Tx auxiliary lepton + Ty proton: max $C_{p\gamma}$ regions



Tx auxiliary lepton + Ty proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_txtty_region_0 C_{p\gamma}=0.999269
 region: mid_Egamma_TxTy_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.01927$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.71239$, $\phi_p=1.5708$
 $E_{\gamma}=1$, $\phi_{\gamma}=1.5708$
 $Q^2=0.00146261$, $x_B=0.00199456$, $t=-0.334575$, $W^2=1.61168$, $y=0.0373449$
 $\theta(\ell',\gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.2533$ $p_x= -0.0000$ $p_y= -2.0193$ $p_z= 0.0000$
 P' $E= 1.3852$ $p_x= 0.0000$ $p_y= 1.0193$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= 0.0000$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_{\gamma}=+1$
 electron Tx, proton Ty

$h_e=-1, h_p=+1, h_{\gamma}=-1$
 electron Tx, proton Ty

$h_e=-1, h_p=-1, h_{\gamma}=+1$
 electron Tx, proton Ty

$h_e=+1, h_p=+1, h_{\gamma}=-1$
 electron Tx, proton Ty

Leading initial-ensemble/final-state components (N=4, retained=100.0%)

