



mid_Egamma Ty auxiliary lepton: max $C_{p\gamma}$ regions



Ty auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ty_lepton_region_0 C_{p\gamma}=0.291605
 region: mid_Egamma_Ty_lepton_region_0 final-pair delta_xy=2.45437 rad
 outgoing-state purity: 0.533595
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,l},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.82664$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.02517$
 $Q^2=0.953771$, $x_B=0.120966$, $t=-0.0146084$, $W^2=7.81067$, $y=0.401538$
 $\theta(l',\gamma)=70.4273$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 1.5851$ $p_x= 0.6344$ $p_y= -1.0536$ $p_z= 0.0000$
 P' $E= 2.0534$ $p_x= 0.0000$ $p_y= 1.8266$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.6344$ $p_y= -0.7730$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Ty, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=79.8%)



Ty auxiliary lepton characteristic max $C_{p\gamma}$ configuration


3D momenta




$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.82664$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=5.39961$
 $Q^2=0.953771$, $x_B=0.120966$, $t=-0.0146084$, $W^2=7.81067$, $y=0.401538$
 $\theta(l',\gamma)=70.4273$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 1.5851$ $p_x= -0.6344$ $p_y= -1.0536$ $p_z= 0.0000$
 P' $E= 2.0534$ $p_x= 0.0000$ $p_y= 1.8266$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.6344$ $p_y= -0.7730$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=79.8%)



Ty auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ty_lepton_region_2 C_{p\gamma}=0.024736
 region: mid_Egamma_Ty_lepton_region_2 final-pair delta_xy=1.07992 rad
 outgoing-state purity: 0.500476
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\ell},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.18554$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_\gamma=1$, $\phi_\gamma=2.65072$
 $Q^2=1.33598$, $x_B=0.412119$, $t=-0.2417$, $W^2=2.7856$, $y=0.165091$
 $\theta(l',\gamma)=146.15$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 ℓ' $E= 2.1268$ $p_x= 0.8819$ $p_y= -1.6569$ $p_z= 0.0000$
 P' $E= 1.5117$ $p_x= 0.0000$ $p_y= 1.1855$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.8819$ $p_y= 0.4714$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=97.6%)



Ty auxiliary lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_ty_lepton_region_3 C_{p\gamma}=0.024736
 region: mid_Egamma_Ty_lepton_region_3 final-pair delta_xy=1.07992 rad
 outgoing-state purity: 0.500476
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,l},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.18554$
 $\theta_{in}=1.57079$, $\phi_l=4.81056$, $\phi_P=1.66897$
 $E_\gamma=1$, $\phi_\gamma=0.490874$
 $Q^2=1.33598$, $x_B=0.412119$, $t=-0.2417$, $W^2=2.7856$, $y=0.165091$
 $\theta(l',\gamma)=146.15$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= 0.2065$ $p_y= -2.0968$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= -0.2065$ $p_y= 2.0968$ $p_z= 0.0000$
 l' $E= 2.1268$ $p_x= -0.8819$ $p_y= -1.6569$ $p_z= 0.0000$
 P' $E= 1.5117$ $p_x= 0.0000$ $p_y= 1.1855$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.8819$ $p_y= 0.4714$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=97.6%)

