



low_Egamma L proton: max $C_{p\gamma}$ regions



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_0 C_{p\gamma}=0.776494
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=2.06167 rad
 outgoing-state purity: 0.50078
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.02061$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.63247$
 $Q^2=0.0609249$, $x_B=0.0369011$, $t=-0.0012766$, $W^2=2.46995$, $y=0.0840819$
 $\theta(l', \gamma)=68.4846$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.1608$ $p_x= 0.2205$ $p_y= -1.9028$ $p_z= 0.0000$
 P' $E= 2.2277$ $p_x= 0.0000$ $p_y= 2.0206$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2205$ $p_y= -0.1178$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=97.9%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_1 C_{p\gamma}=0.776494
 region: low_Egamma L_proton_region_1 final-pair delta_xy=2.06167 rad
 outgoing-state purity: 0.50078
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\ell}\rho(h_\ell, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.02061$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.79231$
 $Q^2=0.0609249$, $x_B=0.0369011$, $t=-0.0012766$, $W^2=2.46995$, $y=0.0840819$
 $\theta(\ell', \gamma)=68.4846$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.1608$ $p_x= -0.2205$ $p_y= -1.9028$ $p_z= 0.0000$
 P' $E= 2.2277$ $p_x= 0.0000$ $p_y= 2.0206$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2205$ $p_y= -0.1178$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=97.9%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_2 C_{p\gamma}=0.161265
 region: low_Egamma_L_proton_region_2 final-pair delta_xy=0.687223 rad
 outgoing-state purity: 0.500161
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.86897$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.25802$
 $Q^2=0.0259395$, $x_B=0.0742942$, $t=-0.0103369$, $W^2=1.20305$, $y=0.0177809$
 $\theta(l', \gamma)=145.023$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.2974$ $p_x= 0.1586$ $p_y= -2.0622$ $p_z= 0.0000$
 P' $E= 2.0911$ $p_x= 0.0000$ $p_y= 1.8690$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1586$ $p_y= 0.1933$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 electron $h=+1$, proton L


$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 electron $h=-1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.5%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_3 C_{p\gamma}=0.161265
region: low_Egamma L_proton_region_3 final-pair delta_xy=0.687223 rad
outgoing-state purity: 0.500161
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_\ell}\rho(h_\ell, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.86897$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.883573$
 $Q^2=0.0259395$, $x_B=0.0742942$, $t=-0.0103369$, $W^2=1.20305$, $y=0.0177809$
 $\theta(\ell', \gamma)=145.023$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.2974$ $p_x= -0.1586$ $p_y= -2.0622$ $p_z= 0.0000$
 P' $E= 2.0911$ $p_x= 0.0000$ $p_y= 1.8690$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1586$ $p_y= 0.1933$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
electron $h=+1$, proton L

$h_e=-1, h_p=-1, h_\gamma=+1$
electron $h=-1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.5%)

