



low_Egamma L proton: max P_W regions



L proton characteristic max P_W configuration

3D momenta




w_purity_low egamma_l_proton_region_0 P_W=0.214811
 region: low_Egamma_L_proton_region_0
 outgoing-state purity: 0.50127
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.99717$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.43612$
 $Q^2=0.0679325$, $x_B=0.0464959$, $t=-0.00208366$, $W^2=2.27296$, $y=0.0744064$
 $\theta(l', \gamma)=80.2107$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.1820$ $p_x= 0.2392$ $p_y= -1.9246$ $p_z= 0.0000$
 P' $E= 2.2065$ $p_x= 0.0000$ $p_y= 1.9972$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2392$ $p_y= -0.0726$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton L

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron h=-1, proton L


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron h=-1, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L


$h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton L

Leading initial-ensemble/final-state components (N=6, retained=98.6%)



L proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_l_proton_region_1 P_W=0.194342
 region: low_Egamma L_proton_region_1
 outgoing-state purity: 0.511763
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_\ell} \rho(h_\ell, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.08928$
 $\theta_{in}=1.57079$, $\phi_\ell=4.22152$, $\phi_P=1.07992$
 $E_\gamma=0.25$, $\phi_\gamma=4.90874$
 $Q^2=0.837455$, $x_B=0.278492$, $t=-1.03961$, $W^2=3.0495$, $y=0.153143$
 $\theta(\ell', \gamma)=12.765$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.3322$ $p_x= -0.9932$ $p_y= -1.8582$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.9932$ $p_y= 1.8582$ $p_z= 0.0000$
 ℓ' $E= 2.0983$ $p_x= -0.0488$ $p_y= -1.8441$ $p_z= 0.0000$
 P' $E= 2.2902$ $p_x= 0.0000$ $p_y= 2.0893$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0488$ $p_y= -0.2452$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=87.1%)



L proton characteristic max P_W configuration

3D momenta




w_purity_low egamma_l_proton_region_2 P_W=0.175776
 region: low_Egamma_L_proton_region_2
 outgoing-state purity: 0.500074
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\ell}\rho(h_\ell, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.85668$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.06167$
 $Q^2=0.0142061$, $x_B=0.0603059$, $t=-0.0114934$, $W^2=1.10121$, $y=0.0119967$
 $\theta(\ell', \gamma)=155.122$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 ℓ' $E= 2.3083$ $p_x= 0.1178$ $p_y= -2.0772$ $p_z= 0.0000$
 P' $E= 2.0802$ $p_x= 0.0000$ $p_y= 1.8567$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1178$ $p_y= 0.2205$ $p_z= 0.0000$

Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
 electron $h=-1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=99.3%)

