



mid_Egamma L proton: max P_W regions



L proton characteristic max P_W configuration

3D momenta




w_purity_mid egamma_l_proton_region_0 $P_W=0.222455$
 region: mid_Egamma_L_proton_region_0
 outgoing-state purity: 0.513887
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.91059$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_Y=1$, $\phi_Y=4.22152$
 $Q^2=0.709008$, $x_B=0.0850553$, $t=-0.00691281$, $W^2=8.50668$, $y=0.424518$
 $\theta(l', \gamma)=52.745$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 1.5101$ $p_x= 0.4714$ $p_y= -1.0287$ $p_z= 0.0000$
 P' $E= 2.1284$ $p_x= 0.0000$ $p_y= 1.9106$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= -0.4714$ $p_y= -0.8819$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_Y=+1$
 electron h=+1, proton L
 $h_e=-1, h_p=-1, h_Y=-1$
 electron h=-1, proton L
 $h_e=-1, h_p=+1, h_Y=+1$
 electron h=-1, proton L
 $h_e=+1, h_p=+1, h_Y=-1$
 electron h=+1, proton L
 $h_e=+1, h_p=+1, h_Y=+1$
 electron h=+1, proton L
 $h_e=-1, h_p=+1, h_Y=-1$
 electron h=-1, proton L
 $h_e=-1, h_p=-1, h_Y=+1$
 electron h=-1, proton L
 $h_e=+1, h_p=-1, h_Y=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=8, retained=87.3%)



L proton characteristic max P_W configuration

3D momenta




w_purity_mid_egamma_l_proton_region_1 P_W=0.160676
 region: mid_Egamma_L_proton_region_1
 outgoing-state purity: 0.500902
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.02462$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=1.76715$
 $Q^2=0.041509$, $x_B=0.0512514$, $t=-0.330212$, $W^2=1.64824$, $y=0.0412461$
 $\theta(l', \gamma)=174.306$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.2494$ $p_x= 0.1951$ $p_y= -2.0054$ $p_z= 0.0000$
 P' $E= 1.3891$ $p_x= 0.0000$ $p_y= 1.0246$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.1951$ $p_y= 0.9808$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron $h=-1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

