



low_Egamma Tx proton: max C_{py} regions



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_0 C_{p\gamma}=0.999983
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.84352$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=3.33133e-05$, $x_B=0.000296146$, $t=-0.0128073$, $W^2=0.9923$, $y=0.00572873$
 $\theta(l', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.3201$ $p_x= -0.0000$ $p_y= -2.0935$ $p_z= 0.0000$
 P' $E= 2.0684$ $p_x= 0.0000$ $p_y= 1.8435$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton Tx

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton Tx


$h_e=-1, h_p=-1, h_\gamma=+1$
 electron h=-1, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_1 C_{p\gamma}=0.992863
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=2.09195$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=0.0143762$, $x_B=0.00651489$, $t=-3.73942e-05$, $W^2=3.07213$, $y=0.112378$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.0959$ $p_x= 0.0000$ $p_y= -1.8420$ $p_z= 0.0000$
 P' $E= 2.2926$ $p_x= 0.0000$ $p_y= 2.0920$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.9%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_2 C_{p\gamma}=0.891528
 region: low_Egamma Tx_proton_region_2 final-pair delta_xy=1.37445 rad
 outgoing-state purity: 0.505148
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_i}\rho(h_i, T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.93673$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.94524$
 $Q^2=0.0657257$, $x_B=0.0689839$, $t=-0.00513742$, $W^2=1.76689$, $y=0.0485215$
 $\theta(l', \gamma)=108.29$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.2366$ $p_x= 0.2452$ $p_y= -1.9855$ $p_z= 0.0000$
 P' $E= 2.1519$ $p_x= 0.0000$ $p_y= 1.9367$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=96.9%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_3 C_{p\gamma}=0.891528
 region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=1.37445 rad
 outgoing-state purity: 0.505148
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_l}\rho(h_l, T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.10694$, $|\vec{P}'|=1.93673$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.19635$
 $Q^2=0.0657257$, $x_B=0.0689839$, $t=-0.00513742$, $W^2=1.76689$, $y=0.0485215$
 $\theta(l', \gamma)=108.29$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.3322$ $p_x= -0.0000$ $p_y= -2.1069$ $p_z= -0.0000$
 P $E= 2.3063$ $p_x= 0.0000$ $p_y= 2.1069$ $p_z= 0.0000$
 l' $E= 2.2366$ $p_x= -0.2452$ $p_y= -1.9855$ $p_z= 0.0000$
 P' $E= 2.1519$ $p_x= 0.0000$ $p_y= 1.9367$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=96.9%)

