



high_Egamma L massless lepton + L proton: max P_W regions



L massless lepton + L proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ll_region_0 P_W=0.00453977
 region: high_Egamma_LL_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.41348$
 $\theta_{in}=1.57079$, $\phi_l=5.69414$, $\phi_p=2.55254$
 $E_\gamma=1.8$, $\phi_\gamma=4.02517$
 $Q^2=0.802589$, $x_B=0.0740185$, $t=-2.93725$, $W^2=10.9203$, $y=0.525446$
 $\theta(l', \gamma)=128.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 l' $E= 1.1421$ $p_x= 1.1419$ $p_y= -0.0221$ $p_z= 0.0000$
 P' $E= 1.6964$ $p_x= 0.0000$ $p_y= 1.4135$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.1419$ $p_y= -1.3914$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=98.1%)



L massless lepton + L proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ll_region_1 P_W=0.00453977
region: high_Egamma_LL_region_1
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.41348$
 $\theta_{in}=1.57079$, $\phi_\ell=3.73064$, $\phi_p=0.589049$
 $E_\gamma=1.8$, $\phi_\gamma=5.39961$
 $Q^2=0.802589$, $x_B=0.0740185$, $t=-2.93725$, $W^2=10.9203$, $y=0.525446$
 $\theta(\ell', \gamma)=128.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 ℓ' $E= 1.1421$ $p_x= -1.1419$ $p_y= -0.0221$ $p_z= 0.0000$
 P' $E= 1.6964$ $p_x= 0.0000$ $p_y= 1.4135$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.1419$ $p_y= -1.3914$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton L


$h_e=+1, h_p=-1, h_\gamma=+1$
electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.1%)



L massless lepton + L proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ll_region_2 P_W=0.00387116
 region: high_Egamma_LL_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.425419$
 $\theta_{in}=1.57079$, $\phi_l=3.73064$, $\phi_p=0.589049$
 $E_\gamma=1.8$, $\phi_\gamma=3.23977$
 $Q^2=14.0568$, $x_B=0.784648$, $t=-2.1617$, $W^2=4.73783$, $y=0.868133$
 $\theta(\ell', \gamma)=166.462$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E=$	2.2244	$p_x=$	-1.8495	$p_y=$	-1.2358	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	1.8495	$p_y=$	1.2358	$p_z=$	0.0000
ℓ'	$E=$	1.8086	$p_x=$	1.7913	$p_y=$	-0.2490	$p_z=$	0.0000
P'	$E=$	1.0300	$p_x=$	0.0000	$p_y=$	0.4254	$p_z=$	0.0000
q_γ	$E=$	1.8000	$p_x=$	-1.7913	$p_y=$	-0.1764	$p_z=$	0.0000


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton L


$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.0%)



L massless lepton + L proton characteristic max P_W configuration

3D momenta




w_purity_high_egamma_ll_region_3 P_W=0.00387116
 region: high_Egamma_LL_region_3
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.425419$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.69414$, $\phi_p=2.55254$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=6.18501$
 $Q^2=14.0568$, $x_B=0.784648$, $t=-2.1617$, $W^2=4.73783$, $y=0.868133$
 $\theta(\ell', \gamma)=166.462$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= 0.0000$
 ℓ' $E= 1.8086$ $p_x= -1.7913$ $p_y= -0.2490$ $p_z= 0.0000$
 P' $E= 1.0300$ $p_x= 0.0000$ $p_y= 0.4254$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 1.7913$ $p_y= -0.1764$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_{\gamma}=+1$
 electron L, proton L

$h_e=+1, h_p=+1, h_{\gamma}=+1$
 electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.0%)

