



ν_γ L massless lepton + L proton: max $C_{\ell_0\gamma}$ regions



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ll_region_0 $C_{\ell_0\gamma}=2.14995\text{e-}10$
 region: low_Egamma_LL_region_0 final-pair delta_xy=0.766422 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.1916$
 $\theta_{\text{in}}=1.57079$, $\phi_l=4.02517$, $\phi_p=0.883573$
 $E_\gamma=0.25$, $\phi_\gamma=4.02517$
 $Q^2=2.49357$, $x_B=0.550144$, $t=-2.21332$, $W^2=2.91885$, $y=0.219644$
 $\theta(l', \gamma)=43.9128$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 2.0046$ $p_x= 0.1586$ $p_y= -1.9983$ $p_z= 0.0000$
 P' $E= 2.3839$ $p_x= 0.0000$ $p_y= 2.1916$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ll_region_1 $C_{\ell_0\gamma}=9.73281e-11$
 region: low_Egamma_LL_region_1 final-pair delta_xy=0.658658 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19996$
 $\theta_{in}=1.57079$, $\phi_l=5.30144$, $\phi_p=2.15984$
 $E_\gamma=0.25$, $\phi_\gamma=5.30144$
 $Q^2=1.85841$, $x_B=0.468254$, $t=-1.64954$, $W^2=2.99024$, $y=0.192324$
 $\theta(l', \gamma)=37.7383$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= 0.0000$
 ℓ' $E= 1.9969$ $p_x= -0.1389$ $p_y= -1.9921$ $p_z= 0.0000$
 P' $E= 2.3916$ $p_x= 0.0000$ $p_y= 2.2000$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1389$ $p_y= -0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ll_region_2 $C_{\ell_0\gamma}=7.50379\text{e-}11$
 region: low_Egamma_LL_region_2 final-pair delta_xy=1.88284 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=0.19635$, $\phi_p=3.33794$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=0.19635$
 $Q^2=12.3506$, $x_B=0.92989$, $t=-10.9625$, $W^2=1.81103$, $y=0.643621$
 $\theta(\ell', \gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 ℓ' $E= 2.1240$ $p_x= -0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ll_region_3 $C_{\ell_0\gamma}=6.63726e-11$
 region: low_Egamma_LL_region_3 final-pair delta_xy=2.7923 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |L_p\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.97187$
 $\theta_{in}=1.57079$, $\phi_l=1.9635$, $\phi_p=5.10509$
 $E_\gamma=0.25$, $\phi_\gamma=1.9635$
 $Q^2=19.0263$, $x_B=0.990581$, $t=-16.8879$, $W^2=1.06076$, $y=0.930761$
 $\theta(l', \gamma)=159.987$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.8512$ $p_y= 2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.8512$ $p_y= -2.0551$ $p_z= 0.0000$
 ℓ' $E= 2.2049$ $p_x= 0.0957$ $p_y= -2.2028$ $p_z= 0.0000$
 P' $E= 2.1836$ $p_x= 0.0000$ $p_y= 1.9719$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0957$ $p_y= 0.2310$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=99.7%)

