



high_Egamma L massless lepton + Ty proton: max $C_{\ell_0 p}$ regions



L massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_lty_region_0 C_{\ell_0 p}=6.67751e-11
region: high_Egamma_LTy_region_0 final-pair delta_xy=1.65883 rad
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $|L_{\ell_0}\rangle \otimes |T_{Y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.506978$
 $\theta_{in}=1.57079$, $\phi_\ell=3.33794$, $\phi_P=0.19635$
 $E_Y=1.8$, $\phi_Y=3.33794$
 $Q^2=15.4525$, $x_B=0.786505$, $t=-2.94832$, $W^2=5.07438$, $y=0.952073$
 $\theta(\ell', \gamma)=163.706$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -2.1817$ $p_y= -0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1817$ $p_y= 0.4340$ $p_z= 0.0000$
 ℓ' $E= 1.7723$ $p_x= 1.7654$ $p_y= -0.1558$ $p_z= 0.0000$
 P' $E= 1.0662$ $p_x= 0.0000$ $p_y= 0.5070$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= -1.7654$ $p_y= -0.3512$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=98.8%)



L massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_lty_region_1 $C_{\ell_0 p}=6.63206e-11$
 region: high_Egamma_LTy_region_1 final-pair delta_xy=2.76956 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.102337$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.1781$, $\phi_p=4.31969$
 $E_V=1.8$, $\phi_V=1.1781$
 $Q^2=16.8589$, $x_B=0.846527$, $t=-3.21666$, $W^2=3.93631$, $y=0.965077$
 $\theta(\ell', \gamma)=178.816$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.8512$ $p_y= 2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.8512$ $p_y= -2.0551$ $p_z= 0.0000$
 ℓ' $E= 1.8950$ $p_x= -0.6888$ $p_y= -1.7653$ $p_z= 0.0000$
 P' $E= 0.9436$ $p_x= 0.0000$ $p_y= 0.1023$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.6888$ $p_y= 1.6630$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.9%)



L massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_lty_region_2 $C_{\ell_0 p}=5.68698\text{e-}11$
 region: high_Egamma_LTy_region_2 final-pair delta_xy=1.90145 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.25482$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=0.19635$, $\phi_p=3.33794$
 $E_\gamma=1.8$, $\phi_\gamma=0.19635$
 $Q^2=16.5329$, $x_B=0.832761$, $t=-3.15447$, $W^2=4.20007$, $y=0.962063$
 $\theta(\ell', \gamma)=172.305$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.1817$ $p_y= 0.4340$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1817$ $p_y= -0.4340$ $p_z= 0.0000$
 ℓ' $E= 1.8665$ $p_x= -1.7654$ $p_y= -0.6060$ $p_z= 0.0000$
 P' $E= 0.9720$ $p_x= 0.0000$ $p_y= 0.2548$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.7654$ $p_y= 0.3512$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.1%)



L massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_lty_region_3 $C_{\ell_0 p}=2.87254e-11$
 region: high_Egamma_LTy_region_3 final-pair delta_xy=1.55562 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.49779$, $\phi_P=2.35619$
 $E_V=1.8$, $\phi_V=5.49779$
 $Q^2=9.72782$, $x_B=0.524277$, $t=-1.85606$, $W^2=9.70675$, $y=0.899144$
 $\theta(\ell', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= 1.5729$	$p_y= -1.5729$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -1.5729$	$p_y= 1.5729$	$p_z= 0.0000$
ℓ'	$E= 1.2729$	$p_x= -1.2728$	$p_y= 0.0193$	$p_z= 0.0000$
P'	$E= 1.5656$	$p_x= 0.0000$	$p_y= 1.2535$	$p_z= 0.0000$
q_γ	$E= 1.8000$	$p_x= 1.2728$	$p_y= -1.2728$	$p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton Ty

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=96.5%)

