



gamma L massless lepton + Ty proton: max $C_{\ell_0\gamma}$ regions



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_lty_region_0 C_{l_0\gamma}=2.6524e-10
 region: low_Egamma_LTy_region_0 final-pair delta_xy=0.766422 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.1916$
 $\theta_{in}=1.57079$, $\phi_l=4.02517$, $\phi_p=0.883573$
 $E_\gamma=0.25$, $\phi_\gamma=4.02517$
 $Q^2=2.49357$, $x_B=0.550144$, $t=-2.21332$, $W^2=2.91885$, $y=0.219644$
 $\theta(l', \gamma)=43.9128$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 ℓ' $E= 2.0046$ $p_x= 0.1586$ $p_y= -1.9983$ $p_z= 0.0000$
 P' $E= 2.3839$ $p_x= 0.0000$ $p_y= 2.1916$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_lty_region_1 C_{\ell_0\gamma}=1.73197e-10
 region: low_Egamma_LTy_region_1 final-pair delta_xy=1.29075 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.13719$
 $\theta_{in}=1.57079$, $\phi_l=5.89049$, $\phi_p=2.74889$
 $E_\gamma=0.25$, $\phi_\gamma=5.89049$
 $Q^2=6.61398$, $x_B=0.807578$, $t=-5.87064$, $W^2=2.45576$, $y=0.396874$
 $\theta(l', \gamma)=73.9548$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 l' $E= 2.0545$ $p_x= -0.2310$ $p_y= -2.0415$ $p_z= 0.0000$
 P' $E= 2.3340$ $p_x= 0.0000$ $p_y= 2.1372$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2310$ $p_y= -0.0957$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_lty_region_2 C_{l_0\gamma}=7.2063e-11
 region: low_Egamma_LTy_region_2 final-pair delta_xy=2.43731 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99765$
 $\theta_{in}=1.57079$, $\phi_{\ell}=0.785398$, $\phi_p=3.92699$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=0.785398$
 $Q^2=17.102$, $x_B=0.977303$, $t=-15.18$, $W^2=1.27702$, $y=0.847994$
 $\theta(\ell', \gamma)=139.648$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 ℓ' $E= 2.1816$ $p_x= -0.1768$ $p_y= -2.1744$ $p_z= 0.0000$
 P' $E= 2.2069$ $p_x= 0.0000$ $p_y= 1.9977$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.1768$ $p_y= 0.1768$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=98.0%)



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta



c_massless_gamma_low_egamma_lty_region_3 $C_{\ell_0\gamma}=6.98107e-11$
 region: low_Egamma_LTy_region_3 final-pair delta_xy=1.97761 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.049$

$\theta_{in}=1.57079$, $\phi_l=2.84707$, $\phi_P=5.98866$

$E_\gamma=0.25$, $\phi_\gamma=2.84707$

$Q^2=13.2567$, $x_B=0.941122$, $t=-11.7668$, $W^2=1.7092$, $y=0.682596$

$\theta(\ell', \gamma)=113.309$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= -0.0000$


P $E= 2.4141$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= 0.0000$

ℓ' $E= 2.1350$ $p_x= 0.2392$ $p_y= -2.1216$ $p_z= 0.0000$

P' $E= 2.2535$ $p_x= 0.0000$ $p_y= 2.0490$ $p_z= 0.0000$

q_γ $E= 0.2500$ $p_x= -0.2392$ $p_y= 0.0726$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

