



Gamma L massless lepton + Ty proton: max $C_{\ell_0\gamma}$ regions



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_lty_region_0 C_{l_0\gamma}=1.38673e-10
 region: mid_Egamma_LTy_region_0 final-pair delta_xy=1.15564 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.02682$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.02517$, $\phi_P=0.883573$
 $E_{\gamma}=1$, $\phi_{\gamma}=4.02517$
 $Q^2=3.72996$, $x_B=0.329206$, $t=-2.05314$, $W^2=8.48005$, $y=0.549049$
 $\theta(\ell', \gamma)=66.2131$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 ℓ' $E= 1.4052$ $p_x= 0.6344$ $p_y= -1.2538$ $p_z= 0.0000$
 P' $E= 2.2333$ $p_x= 0.0000$ $p_y= 2.0268$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= -0.6344$ $p_y= -0.7730$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_lty_region_1 C_{\ell_0\gamma}=7.76659e-11
 region: mid_Egamma_LTy_region_1 final-pair delta_xy=1.77176 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |\bar{T}_{\gamma,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.75164$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.89049$, $\phi_P=2.74889$
 $E_{\gamma}=1$, $\phi_{\gamma}=5.89049$
 $Q^2=8.81411$, $x_B=0.623844$, $t=-4.85168$, $W^2=6.19444$, $y=0.684663$
 $\theta(\ell', \gamma)=101.515$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 ℓ' $E= 1.6515$ $p_x= -0.9239$ $p_y= -1.3690$ $p_z= 0.0000$
 P' $E= 1.9870$ $p_x= 0.0000$ $p_y= 1.7516$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= 0.9239$ $p_y= -0.3827$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_lty_region_2 $C_{\ell_0\gamma}=5.04366\text{e-}11$
 region: mid_Egamma_LTy_region_2 final-pair delta_xy=2.58087 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{\ell_0}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.30122$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=1$, $\phi_\gamma=0.589049$
 $Q^2=16.7159$, $x_B=0.904629$, $t=-9.20119$, $W^2=2.64213$, $y=0.895436$
 $\theta(\ell', \gamma)=147.873$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 ℓ' $E= 2.0345$ $p_x= -0.8315$ $p_y= -1.8568$ $p_z= 0.0000$
 P' $E= 1.6041$ $p_x= 0.0000$ $p_y= 1.3012$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.8315$ $p_y= 0.5556$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=98.3%)



L massless lepton + Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_lty_region_3 C_{l_0\gamma}=3.62275e-11
 region: mid_Egamma_LTy_region_3 final-pair delta_xy=2.64315 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|L_{l_0}\rangle \otimes |T_{Y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.27253$
 $\theta_{in}=1.57079$, $\phi_l=2.45437$, $\phi_p=5.59596$
 $E_\gamma=1$, $\phi_\gamma=2.45437$
 $Q^2=17.1944$, $x_B=0.917446$, $t=-9.46456$, $W^2=2.42703$, $y=0.908199$
 $\theta(l', \gamma)=151.441$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 l' $E= 2.0576$ $p_x= 0.7730$ $p_y= -1.9069$ $p_z= 0.0000$
 P' $E= 1.5809$ $p_x= 0.0000$ $p_y= 1.2725$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.7730$ $p_y= 0.6344$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=98.8%)

