



high_Egamma L massless lepton: max $C_{\ell_0 p}$ regions



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_l_lepton_region_0 $C_{\{\ell_0 p\}}=3.07555\text{e-}12$
 region: high_Egamma_L_lepton_region_0 final-pair delta_xy=2.31441 rad
 outgoing-state purity: 0.999986
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.137832$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=2.45437$, $\phi_P=5.59596$
 $E_Y=1.8$, $\phi_Y=2.45437$
 $Q^2=16.8072$, $x_B=0.84435$, $t=-3.2068$, $W^2=3.97812$, $y=0.964599$
 $\theta(\ell', \gamma)=176.769$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 ℓ' $E= 1.8904$ $p_x= 1.3914$ $p_y= -1.2797$ $p_z= 0.0000$
 P' $E= 0.9481$ $p_x= 0.0000$ $p_y= 0.1378$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= -1.3914$ $p_y= 1.1419$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.5%)



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_l_lepton_region_1 $C_{\ell_0 p}=2.77638e-12$
 region: high_Egamma L_lepton_region_1 final-pair delta_xy=2.31441 rad
 outgoing-state purity: 0.999986
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.137832$
 $\theta_{in}=1.57079$, $\phi_l=0.687223$, $\phi_p=3.82882$
 $E_\gamma=1.8$, $\phi_\gamma=0.687223$
 $Q^2=16.8072$, $x_B=0.84435$, $t=-3.2068$, $W^2=3.97812$, $y=0.964599$
 $\theta(\ell', \gamma)=176.769$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 ℓ' $E= 1.8904$ $p_x= -1.3914$ $p_y= -1.2797$ $p_z= 0.0000$
 P' $E= 0.9481$ $p_x= 0.0000$ $p_y= 0.1378$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.3914$ $p_y= 1.1419$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=3, retained=99.5%)



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_l_lepton_region_2 $C_{\ell_0 p}=1.73244e-12$
 region: high_Egamma_L_lepton_region_2 final-pair delta_xy=1.61654 rad
 outgoing-state purity: 0.984594
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.601368$
 $\theta_{in}=1.57079$, $\phi_\ell=3.43612$, $\phi_P=0.294524$
 $E_\gamma=1.8$, $\phi_\gamma=3.43612$
 $Q^2=14.9024$, $x_B=0.762581$, $t=-2.84337$, $W^2=5.51948$, $y=0.946987$
 $\theta(\ell', \gamma)=160.504$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -2.1286$ $p_y= -0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.1286$ $p_y= 0.6457$ $p_z= 0.0000$
 ℓ' $E= 1.7243$ $p_x= 1.7225$ $p_y= -0.0789$ $p_z= 0.0000$
 P' $E= 1.1142$ $p_x= 0.0000$ $p_y= 0.6014$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.7225$ $p_y= -0.5225$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=97.9%)



L massless lepton characteristic max $C_{l_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_l_lepton_region_3 $C_{l_0 p}=9.62919\text{e-}13$
 region: high_Egamma_L_lepton_region_3 final-pair delta_xy=1.58254 rad
 outgoing-state purity: 0.971774
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{l_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.708355$
 $\theta_{in}=1.57079$, $\phi_l=5.89049$, $\phi_p=2.74889$
 $E_\gamma=1.8$, $\phi_\gamma=5.89049$
 $Q^2=14.2008$, $x_B=0.731691$, $t=-2.7095$, $W^2=6.08723$, $y=0.9405$
 $\theta(l', \gamma)=156.827$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 l' $E= 1.6631$ $p_x= -1.6630$ $p_y= -0.0195$ $p_z= 0.0000$
 P' $E= 1.1754$ $p_x= 0.0000$ $p_y= 0.7084$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 1.6630$ $p_y= -0.6888$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=97.2%)

