



low_Egamma L massless lepton: max $C_{\ell_0\gamma}$ regions



L massless lepton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_lepton_region_0 $C_{\ell_0\gamma}=2.5025e-10$
 region: low_Egamma_L_lepton_region_0 final-pair delta_xy=0.766422 rad
 outgoing-state purity: 0.519025
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.1916$
 $\theta_{in}=1.57079$, $\phi_{\ell}=4.02517$, $\phi_p=0.883573$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=4.02517$
 $Q^2=2.49357$, $x_B=0.550144$, $t=-2.21332$, $W^2=2.91885$, $y=0.219644$
 $\theta(\ell', \gamma)=43.9128$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 ℓ' $E= 2.0046$ $p_x= 0.1586$ $p_y= -1.9983$ $p_z= 0.0000$
 P' $E= 2.3839$ $p_x= 0.0000$ $p_y= 2.1916$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= -0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L massless lepton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_lepton_region_1 $C_{\ell_0\gamma}=1.40407\text{e-}10$
 region: low_Egamma_L_lepton_region_1 final-pair delta_xy=1.29075 rad
 outgoing-state purity: 0.603187
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{l_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.13719$
 $\theta_{in}=1.57079$, $\phi_i=5.89049$, $\phi_p=2.74889$
 $E_\gamma=0.25$, $\phi_\gamma=5.89049$
 $Q^2=6.61398$, $x_B=0.807578$, $t=-5.87064$, $W^2=2.45576$, $y=0.396874$
 $\theta(\ell', \gamma)=73.9548$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l $E= 2.2244$ $p_x= 2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 l' $E= 2.0545$ $p_x= -0.2310$ $p_y= -2.0415$ $p_z= 0.0000$
 P' $E= 2.3340$ $p_x= 0.0000$ $p_y= 2.1372$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2310$ $p_y= -0.0957$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L massless lepton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_lepton_region_2 $C_{\ell_0\gamma}$ =6.92906e-11
region: low_Egamma L_lepton_region_2 final-pair delta_xy=2.43731 rad
outgoing-state purity: 0.971872
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99765$
 $\theta_{in}=1.57079$, $\phi_l=0.785398$, $\phi_P=3.92699$
 $E_\gamma=0.25$, $\phi_\gamma=0.785398$
 $Q^2=17.102$, $x_B=0.977303$, $t=-15.18$, $W^2=1.27702$, $y=0.847994$
 $\theta(l', \gamma)=139.648$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 l' $E= 2.1816$ $p_x= -0.1768$ $p_y= -2.1744$ $p_z= 0.0000$
 P' $E= 2.2069$ $p_x= 0.0000$ $p_y= 1.9977$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1768$ $p_y= 0.1768$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=96.7%)



L massless lepton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_lepton_region_3 $C_{\ell_0\gamma}=6.71516\text{e-}11$
 region: low_Egamma_L_lepton_region_3 final-pair delta_xy=2.7923 rad
 outgoing-state purity: 0.998098
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.97187$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=1.9635$, $\phi_P=5.10509$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=1.9635$
 $Q^2=19.0263$, $x_B=0.990581$, $t=-16.8879$, $W^2=1.06076$, $y=0.930761$
 $\theta(\ell', \gamma)=159.987$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.8512$ $p_y= 2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.8512$ $p_y= -2.0551$ $p_z= 0.0000$
 ℓ' $E= 2.2049$ $p_x= 0.0957$ $p_y= -2.2028$ $p_z= 0.0000$
 P' $E= 2.1836$ $p_x= 0.0000$ $p_y= 1.9719$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= -0.0957$ $p_y= 0.2310$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_{\gamma}=+1$
 electron L, proton h=+1

$h_e=+1, h_p=+1, h_{\gamma}=-1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=99.5%)

