



mid_Egamma L massless lepton: max $C_{\ell_0 p}$ regions



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_lepton_region_0 $C_{\ell_0 p}=5.43627\text{e-}13$
 region: mid_Egamma_L_lepton_region_0 final-pair delta_xy=2.67318 rad
 outgoing-state purity: 0.545774
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.02682$
 $\theta_{in}=1.57079$, $\phi_i=5.39961$, $\phi_p=2.25802$
 $E_\gamma=1$, $\phi_\gamma=5.39961$
 $Q^2=3.72996$, $x_B=0.329206$, $t=-2.05314$, $W^2=8.48005$, $y=0.549049$
 $\theta(\ell', \gamma)=66.2131$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l $E= 2.2244$ $p_x= 1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 1.4052$ $p_x= -0.6344$ $p_y= -1.2538$ $p_z= 0.0000$
 P' $E= 2.2333$ $p_x= 0.0000$ $p_y= 2.0268$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= 0.6344$ $p_y= -0.7730$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron L, proton h=+1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_lepton_region_1 $C_{\ell_0 p}=3.8716e-13$
 region: mid_Egamma_L_lepton_region_1 final-pair delta_xy=2.56553 rad
 outgoing-state purity: 0.849235
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_{\ell_0}, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.5395$
 $\theta_{in}=1.57079$, $\phi_\ell=3.14159$, $\phi_P=0$
 $E_\gamma=1$, $\phi_\gamma=3.14159$
 $Q^2=12.6159$, $x_B=0.777732$, $t=-6.94433$, $W^2=4.48534$, $y=0.786071$
 $\theta(\ell', \gamma)=123.006$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.8358$ $p_x= 1.0000$ $p_y= -1.5395$ $p_z= 0.0000$
 P' $E= 1.8027$ $p_x= 0.0000$ $p_y= 1.5395$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -1.0000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=96.2%)



L massless lepton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_lepton_region_2 $C_{\ell_0 p}=1.39239\text{e-}13$
 region: mid_Egamma L_lepton_region_2 final-pair delta_xy=2.83409 rad
 outgoing-state purity: 0.99439
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.22462$
 $\theta_{\text{in}}=1.57079$, $\phi_l=0.883573$, $\phi_p=4.02517$
 $E_\gamma=1$, $\phi_\gamma=0.883573$
 $Q^2=17.9848$, $x_B=0.937848$, $t=-9.89963$, $W^2=2.07171$, $y=0.929282$
 $\theta(\ell', \gamma)=158.243$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= 0.0000$
 ℓ' $E= 2.0959$ $p_x= -0.6344$ $p_y= -1.9976$ $p_z= 0.0000$
 P' $E= 1.5426$ $p_x= 0.0000$ $p_y= 1.2246$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.6344$ $p_y= 0.7730$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=98.1%)



L massless lepton characteristic max $C_{l_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_lepton_region_3 $C_{\{l_0 p\}}=2.92478e-14$
 region: mid_Egamma_L_lepton_region_3 final-pair delta_xy=2.77714 rad
 outgoing-state purity: 0.62286
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_{l_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.11756$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.22152$
 $Q^2=0.386451$, $x_B=0.044148$, $t=-0.00179699$, $W^2=9.24691$, $y=0.424187$
 $\theta(l', \gamma)=49.0069$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 1.3225$ $p_x= 0.4714$ $p_y= -1.2356$ $p_z= 0.0000$
 P' $E= 2.3160$ $p_x= 0.0000$ $p_y= 2.1176$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.4714$ $p_y= -0.8819$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

