



ν_γ Egamma Tx massless lepton + Tx proton: max $C_{\ell_0 p}$ regions



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtx_region_0 $C_{\{\ell_0 p\}}=0.992935$
 region: low_Egamma TxTx_region_0 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.5708$, $\phi_p=4.71239$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=1.5708$
 $Q^2=19.6902$, $x_B=0.99463$, $t=-17.4772$, $W^2=0.986143$, $y=0.959318$
 $\theta(\ell', \gamma)=180$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= 0.0000$	$p_y= 2.2244$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -0.0000$	$p_y= -2.2244$	$p_z= 0.0000$
ℓ'	$E= 2.2130$	$p_x= -0.0000$	$p_y= -2.2130$	$p_z= 0.0000$
P'	$E= 2.1756$	$p_x= 0.0000$	$p_y= 1.9630$	$p_z= 0.0000$
q_{γ}	$E= 0.2500$	$p_x= 0.0000$	$p_y= 0.2500$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtx_region_1 $C_{\{\ell_0 p\}}=0.992935$
 region: low_Egamma_TxTx_region_1 final-pair delta_xy=3.12919 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.22371$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=4.81056$
 $Q^2=17.5728$, $x_B=0.883676$, $t=-19.7859$, $W^2=3.19307$, $y=0.963658$
 $\theta(\ell', \gamma)=6.33588$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.9751$ $p_x= -0.0245$ $p_y= -1.9749$ $p_z= 0.0000$
 P' $E= 2.4134$ $p_x= 0.0000$ $p_y= 2.2237$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0245$ $p_y= -0.2488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtx_region_2 $C_{\ell_0 p}=0.992906$
 region: low_Egamma_TxTx_region_2 final-pair delta_xy=3.02554 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.12467$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=3.43612$
 $Q^2=18.3208$, $x_B=0.92574$, $t=-18.9062$, $W^2=2.34948$, $y=0.959023$
 $\theta(\ell', \gamma)=79.7746$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.0660$ $p_x= 0.2392$ $p_y= -2.0521$ $p_z= 0.0000$
 P' $E= 2.3225$ $p_x= 0.0000$ $p_y= 2.1247$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2392$ $p_y= -0.0726$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx massless lepton + Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtx_region_3 $C_{\{\ell_0 p\}}=0.992906$
 region: low_Egamma_TxTx_region_3 final-pair delta_xy=3.0259 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.06107$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=0.19635$
 $Q^2=18.8359$, $x_B=0.952892$, $t=-18.343$, $W^2=1.81103$, $y=0.957891$
 $\theta(\ell', \gamma)=107.879$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.1240$ $p_x= -0.2452$ $p_y= -2.1098$ $p_z= 0.0000$
 P' $E= 2.2645$ $p_x= 0.0000$ $p_y= 2.0611$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

