



# $\Gamma$ Tx massless lepton + Tx proton: max $F_3$ regions



# Tx massless lepton + Tx proton characteristic max $F_3$ configuration

3D momenta




f3\_mid\_egamma\_txtx\_region\_0  $F_3=0.724923$   
 region: mid\_Egamma\_TxTx\_region\_0  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|T_{x,\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.18436$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.71239$ ,  $\phi_p=1.5708$   
 $E_\gamma=1$ ,  $\phi_\gamma=5.00691$   
 $Q^2=0.150634$ ,  $x_B=0.0165792$ ,  $t=-0.000246022$ ,  $W^2=9.81493$ ,  $y=0.440285$   
 $\theta(\ell', \gamma)=30.181$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

$\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 1.2613$   $p_x= -0.2903$   $p_y= -1.2274$   $p_z= 0.0000$   
 $P'$   $E= 2.3772$   $p_x= 0.0000$   $p_y= 2.1844$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.2903$   $p_y= -0.9569$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=100.0%)



# Tx massless lepton + Tx proton characteristic max $F_3$ configuration

3D momenta




f3\_mid\_egamma\_txtx\_region\_1 F\_3=0.607286  
 region: mid\_Egamma\_TxTx\_region\_1  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|T_{x,\ell_0}\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.49222$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=1.86532$ ,  $\phi_p=5.00691$   
 $E_\gamma=1$ ,  $\phi_\gamma=0.0981748$   
 $Q^2=13.8308$ ,  $x_B=0.810555$ ,  $t=-13.103$ ,  $W^2=4.11241$ ,  $y=0.826872$   
 $\theta(\ell', \gamma)=127.664$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.6457$   $p_y= 2.1286$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.6457$   $p_y= -2.1286$   $p_z= 0.0000$   
 $\ell'$   $E= 1.8760$   $p_x= -0.9952$   $p_y= -1.5902$   $p_z= 0.0000$   
 $P'$   $E= 1.7625$   $p_x= 0.0000$   $p_y= 1.4922$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.9952$   $p_y= 0.0980$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.3%)



# Tx massless lepton + Tx proton characteristic max $F_3$ configuration

3D momenta




f3\_mid\_egamma\_txtx\_region\_2 F\_3=0.607286  
 region: mid\_Egamma\_TxTx\_region\_2  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $|T_{x,\ell_0}\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.49222$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_\ell=1.27627$ ,  $\phi_p=4.41786$   
 $E_\gamma=1$ ,  $\phi_\gamma=3.04342$   
 $Q^2=13.8308$ ,  $x_B=0.810555$ ,  $t=-13.103$ ,  $W^2=4.11241$ ,  $y=0.826872$   
 $\theta(\ell', \gamma)=127.664$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 0.6457$   $p_y= 2.1286$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.6457$   $p_y= -2.1286$   $p_z= 0.0000$   
 $\ell'$   $E= 1.8760$   $p_x= 0.9952$   $p_y= -1.5902$   $p_z= 0.0000$   
 $P'$   $E= 1.7625$   $p_x= 0.0000$   $p_y= 1.4922$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.9952$   $p_y= 0.0980$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=98.3%)

