



h_Egamma Tx massless lepton + Ty proton: max F_3 regions



Tx massless lepton + Ty proton characteristic max F_3 configuration

3D momenta




f3_high_egamma_txtty_region_0 F_3=0.955766
 region: high_Egamma_TxTy_region_0
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.13301$
 $\theta_{in}=1.57079$, $\phi_\ell=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.51604$
 $Q^2=0.626288$, $x_B=0.0378511$, $t=-0.00130694$, $W^2=16.7997$, $y=0.801808$
 $\theta(\ell', \gamma)=54.9402$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 0.5084$ $p_x= 0.3512$ $p_y= -0.3676$ $p_z= 0.0000$
 P' $E= 2.3301$ $p_x= 0.0000$ $p_y= 2.1330$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.3512$ $p_y= -1.7654$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron Tx, proton Ty

$h_e=-1, h_p=+1, h_\gamma=-1$
 electron Tx, proton Ty


$h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton Ty

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton Ty

$h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton Ty


$h_e=-1, h_p=+1, h_\gamma=+1$
 electron Tx, proton Ty

Leading initial-ensemble/final-state components (N=6, retained=100.0%)



Tx massless lepton + Ty proton characteristic max F_3 configuration

3D momenta




f3_high_egamma_txtty_region_1 F_3=0.952585
 region: high_Egamma_TxTy_region_1
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.118464$
 $\theta_{in}=1.57079$, $\phi_l=1.37445$, $\phi_p=4.51604$
 $E_\gamma=1.8$, $\phi_\gamma=0.883573$
 $Q^2=16.0012$, $x_B=0.83885$, $t=-3.32204$, $W^2=3.9538$, $y=0.924362$
 $\theta(\ell', \gamma)=177.725$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 0.4340$ $p_y= 2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.4340$ $p_y= -2.1817$ $p_z= 0.0000$
 ℓ' $E= 1.8931$ $p_x= -1.1419$ $p_y= -1.5099$ $p_z= 0.0000$
 P' $E= 0.9455$ $p_x= 0.0000$ $p_y= 0.1185$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.1419$ $p_y= 1.3914$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=95.8%)



Tx massless lepton + Ty proton characteristic max F_3 configuration

3D momenta




f3_high_egamma_txtty_region_2 $F_3=0.952585$
 region: high_Egamma_TxTy_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |T_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.118464$
 $\theta_{in}=1.57079$, $\phi_\ell=1.76715$, $\phi_p=4.90874$
 $E_\gamma=1.8$, $\phi_\gamma=2.25802$
 $Q^2=16.0012$, $x_B=0.83885$, $t=-3.32204$, $W^2=3.9538$, $y=0.924362$
 $\theta(\ell', \gamma)=177.725$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -0.4340$ $p_y= 2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.4340$ $p_y= -2.1817$ $p_z= 0.0000$
 ℓ' $E= 1.8931$ $p_x= 1.1419$ $p_y= -1.5099$ $p_z= 0.0000$
 P' $E= 0.9455$ $p_x= 0.0000$ $p_y= 0.1185$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.1419$ $p_y= 1.3914$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=-1$
 electron Tx, proton Ty

$h_e=+1, h_p=+1, h_\gamma=+1$
 electron Tx, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=95.8%)

