



γ _Egamma Tx massless lepton + Ty proton: max C_{l_0p} regions



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtty_region_0 $C_{\{\ell_0 p\}}=0.992939$
 region: low_Egamma_TxTy_region_0 final-pair delta_xy=3.06047 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99765$
 $\theta_{in}=1.57079$, $\phi_l=1.47262$, $\phi_p=4.61421$
 $E_\gamma=0.25$, $\phi_\gamma=0.785398$
 $Q^2=19.4098$, $x_B=0.979947$, $t=-17.7402$, $W^2=1.27702$, $y=0.959826$
 $\theta(\ell', \gamma)=139.648$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 2.1816$ $p_x= -0.1768$ $p_y= -2.1744$ $p_z= 0.0000$
 P' $E= 2.2069$ $p_x= 0.0000$ $p_y= 1.9977$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1768$ $p_y= 0.1768$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtty_region_1 $C_{\{\ell_0 p\}}=0.992939$
 region: low_Egamma_TxTy_region_1 final-pair delta_xy=3.06047 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99765$
 $\theta_{in}=1.57079$, $\phi_\ell=1.66897$, $\phi_p=4.81056$
 $E_\gamma=0.25$, $\phi_\gamma=2.35619$
 $Q^2=19.4098$, $x_B=0.979947$, $t=-17.7402$, $W^2=1.27702$, $y=0.959826$
 $\theta(\ell', \gamma)=139.648$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 2.1816$ $p_x= 0.1768$ $p_y= -2.1744$ $p_z= 0.0000$
 P' $E= 2.2069$ $p_x= 0.0000$ $p_y= 1.9977$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1768$ $p_y= 0.1768$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtty_region_2 $C_{\{\ell_0 p\}}=0.992937$
 region: low_Egamma_TxTy_region_2 final-pair delta_xy=3.06239 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.1916$
 $\theta_{in}=1.57079$, $\phi_\ell=1.66897$, $\phi_p=4.81056$
 $E_\gamma=0.25$, $\phi_\gamma=4.02517$
 $Q^2=17.8349$, $x_B=0.897403$, $t=-19.4533$, $W^2=2.91885$, $y=0.96307$
 $\theta(\ell', \gamma)=43.9128$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 2.0046$ $p_x= 0.1586$ $p_y= -1.9983$ $p_z= 0.0000$
 P' $E= 2.3839$ $p_x= 0.0000$ $p_y= 2.1916$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_txtty_region_3 $C_{\{\ell_0 p\}}=0.992937$
 region: low_Egamma_TxTy_region_3 final-pair delta_xy=3.06239 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.1916$
 $\theta_{in}=1.57079$, $\phi_l=1.47262$, $\phi_p=4.61421$
 $E_\gamma=0.25$, $\phi_\gamma=5.39961$
 $Q^2=17.8349$, $x_B=0.897403$, $t=-19.4533$, $W^2=2.91885$, $y=0.96307$
 $\theta(\ell', \gamma)=43.9128$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 2.0046$ $p_x= -0.1586$ $p_y= -1.9983$ $p_z= 0.0000$
 P' $E= 2.3839$ $p_x= 0.0000$ $p_y= 2.1916$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

