



Gamma Tx massless lepton + Ty proton: max $C_{\ell_0 p}$ regions



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_txtty_region_0 C_{\ell_0 p}=0.845045
 region: mid_Egamma_TxTy_region_0 final-pair delta_xy=2.8753 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.20533$
 $\theta_{in}=1.57079$, $\phi_\ell=1.86532$, $\phi_p=5.00691$
 $E_\gamma=1$, $\phi_\gamma=2.15984$
 $Q^2=18.7811$, $x_B=0.947042$, $t=-10.7459$, $W^2=1.93007$, $y=0.961007$
 $\theta(\ell', \gamma)=161.507$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 ℓ' $E= 2.1112$ $p_x= 0.5556$ $p_y= -2.0368$ $p_z= 0.0000$
 P' $E= 1.5273$ $p_x= 0.0000$ $p_y= 1.2053$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.5556$ $p_y= 0.8315$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.8%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_txtty_region_1 $C_{\{\ell_0 p\}}=0.845039$
 region: mid_Egamma_TxTy_region_1 final-pair delta_xy=2.83409 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.22462$
 $\theta_{in}=1.57079$, $\phi_l=1.27627$, $\phi_p=4.41786$
 $E_\gamma=1$, $\phi_\gamma=0.883573$
 $Q^2=18.6482$, $x_B=0.939927$, $t=-10.9017$, $W^2=2.07171$, $y=0.961431$
 $\theta(\ell', \gamma)=158.243$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 ℓ' $E= 2.0959$ $p_x= -0.6344$ $p_y= -1.9976$ $p_z= 0.0000$
 P' $E= 1.5426$ $p_x= 0.0000$ $p_y= 1.2246$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.6344$ $p_y= 0.7730$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.8%)



Tx massless lepton + Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_txtty_region_2 $C_{\{\ell_0 p\}}=0.844957$
 region: mid_Egamma_TxTy_region_2 final-pair delta_xy=2.98374 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $|T_{x,\ell_0}\rangle \otimes |\bar{T}_{y,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20638$
 $\theta_{in}=1.57079$, $\phi_\ell=1.76715$, $\phi_p=4.90874$
 $E_\gamma=1$, $\phi_\gamma=4.51604$
 $Q^2=11.0382$, $x_B=0.547497$, $t=-19.4431$, $W^2=10.0028$, $y=0.976987$
 $\theta(\ell', \gamma)=20.2945$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.4340$ $p_y= 2.1817$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.4340$ $p_y= -2.1817$ $p_z= 0.0000$
 ℓ' $E= 1.2410$ $p_x= 0.1951$ $p_y= -1.2256$ $p_z= 0.0000$
 P' $E= 2.3975$ $p_x= 0.0000$ $p_y= 2.2064$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.1951$ $p_y= -0.9808$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=99.9%)

