



low_Egamma Tx massless lepton: max $C_{p\gamma}$ regions



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_lepton_region_0 C_{p\gamma}=0
 region: low_Egamma_Tx_lepton_region_0 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,l_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.08621$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=0$
 $Q^2=10.4598$, $x_B=0.901436$, $t=-9.28425$, $W^2=2.02353$, $y=0.562294$
 $\theta(l',\gamma)=96.8334$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.1011$ $p_x= -0.2500$ $p_y= -2.0862$ $p_z= 0.0000$
 P' $E= 2.2874$ $p_x= 0.0000$ $p_y= 2.0862$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2500$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$ electron Tx, proton h=+1	phase=-1.51, Re=8.62e+03, Im=-1.44e+05
$h_e=-1, h_p=-1, h_\gamma=-1$ electron Tx, proton h=-1	phase=1.51, Re=8.62e+03, Im=1.44e+05
$h_e=-1, h_p=-1, h_\gamma=+1$ electron Tx, proton h=-1	phase=1.51, Re=7.65e+03, Im=1.28e+05
$h_e=+1, h_p=+1, h_\gamma=-1$ electron Tx, proton h=+1	phase=-1.51, Re=7.65e+03, Im=-1.28e+05
$h_e=-1, h_p=+1, h_\gamma=-1$ electron Tx, proton h=+1	phase=3.08, Re=-5.82e+04, Im=3.48e+03
$h_e=+1, h_p=-1, h_\gamma=+1$ electron Tx, proton h=-1	phase=-3.08, Re=-5.82e+04, Im=-3.48e+03
$h_e=-1, h_p=+1, h_\gamma=+1$ electron Tx, proton h=+1	phase=3.08, Re=-5.17e+04, Im=3.09e+03
$h_e=+1, h_p=-1, h_\gamma=-1$ electron Tx, proton h=-1	phase=-3.08, Re=-5.17e+04, Im=-3.09e+03

Leading initial-ensemble/final-state components (N=8, retained=89.5%)



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_lepton_region_1 C_{p\gamma}=0
 region: low_Egamma Tx_lepton_region_1 final-pair delta_xy=0.19635 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_x, l_0, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9652$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=1.37445$
 $Q^2=10.0531$, $x_B=0.987712$, $t=-8.75411$, $W^2=1.00491$, $y=0.493223$
 $\theta(l', \gamma)=170.014$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.2109$ $p_x= -0.0488$ $p_y= -2.2104$ $p_z= 0.0000$
 P' $E= 2.1776$ $p_x= 0.0000$ $p_y= 1.9652$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0488$ $p_y= 0.2452$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=89.3%)



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_lepton_region_2 C_{p\gamma}=0
 region: low_Egamma Tx_lepton_region_2 final-pair delta_xy=1.1781 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.03741$
 $\theta_{in}=1.57079$, $\phi_\ell=0$, $\phi_p=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=2.74889$
 $Q^2=8.51766$, $x_B=0.920898$, $t=-9.0698$, $W^2=1.61148$, $y=0.448212$
 $\theta(\ell',\gamma)=118.68$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 2.1456$ $p_x= 0.2310$ $p_y= -2.1331$ $p_z= 0.0000$
 P' $E= 2.2430$ $p_x= 0.0000$ $p_y= 2.0374$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2310$ $p_y= 0.0957$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=89.2%)



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_lepton_region_3 C_{p\gamma}=0
 region: low_Egamma Tx_lepton_region_3 final-pair delta_xy=2.55254 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19996$
 $\theta_{in}=1.57079$, $\phi_\ell=0$, $\phi_P=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=4.12334$
 $Q^2=8.26611$, $x_B=0.796618$, $t=-9.78736$, $W^2=2.99024$, $y=0.502835$
 $\theta(\ell',\gamma)=37.7383$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.9969$ $p_x= 0.1389$ $p_y= -1.9921$ $p_z= 0.0000$
 P' $E= 2.3916$ $p_x= 0.0000$ $p_y= 2.2000$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1389$ $p_y= -0.2079$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=89.3%)

