



mid_Egamma Tx massless lepton: max $C_{p\gamma}$ regions



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_tx_lepton_region_0 C_{p\gamma}=0
 region: mid_Egamma_Tx_lepton_region_0 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_x, l_0, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.5395$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=1$, $\phi_\gamma=0$
 $Q^2=12.6159$, $x_B=0.777732$, $t=-6.94433$, $W^2=4.48534$, $y=0.786071$
 $\theta(l', \gamma)=123.006$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.8358$ $p_x= -1.0000$ $p_y= -1.5395$ $p_z= 0.0000$
 P' $E= 1.8027$ $p_x= 0.0000$ $p_y= 1.5395$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 1.0000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=93.2%)



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_tx_lepton_region_1 C_{p\gamma}=0
 region: mid_Egamma Tx_lepton_region_1 final-pair delta_xy=0.19635 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.15835$
 $\theta_{in}=1.57079$, $\phi_\ell=0$, $\phi_P=3.14159$
 $E_\gamma=1$, $\phi_\gamma=1.37445$
 $Q^2=10.4241$, $x_B=0.93633$, $t=-5.43678$, $W^2=1.58868$, $y=0.539489$
 $\theta(\ell',\gamma)=173.961$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 2.1480$ $p_x= -0.1951$ $p_y= -2.1391$ $p_z= 0.0000$
 P' $E= 1.4905$ $p_x= 0.0000$ $p_y= 1.1583$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.1951$ $p_y= 0.9808$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=92.5%)



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_tx_lepton_region_2 C_{p\gamma}=0
 region: mid_Egamma Tx_lepton_region_2 final-pair delta_xy=1.1781 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.36819$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=1$, $\phi_\gamma=2.74889$
 $Q^2=4.69704$, $x_B=0.674129$, $t=-6.24956$, $W^2=3.15038$, $y=0.337641$
 $\theta(l',\gamma)=140.319$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.9797$ $p_x= 0.9239$ $p_y= -1.7509$ $p_z= 0.0000$
 P' $E= 1.6588$ $p_x= 0.0000$ $p_y= 1.3682$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.9239$ $p_y= 0.3827$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=90.5%)



Tx massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_tx_lepton_region_3 C_{p\gamma}=0
 region: mid_Egamma Tx_lepton_region_3 final-pair delta_xy=2.55254 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\ell_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.07465$
 $\theta_{in}=1.57079$, $\phi_\ell=0$, $\phi_P=3.14159$
 $E_\gamma=1$, $\phi_\gamma=4.12334$
 $Q^2=3.58622$, $x_B=0.309426$, $t=-9.23337$, $W^2=8.88355$, $y=0.561636$
 $\theta(\ell',\gamma)=57.8296$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 1.3617$ $p_x= 0.5556$ $p_y= -1.2432$ $p_z= 0.0000$
 P' $E= 2.2768$ $p_x= 0.0000$ $p_y= 2.0746$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.5556$ $p_y= -0.8315$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=89.1%)

